



GENERAL CATALOGUE 2014 2015



THE COMPANY

Founded in 1992, Sistar was able to consolidate his position in the market becoming a point of reference for the Paint Dealers of various sectors and for Professional Users and for production companies in the market of Car-Body Shop, Nautic and Industry. Thanks to its deep knowledge of the sector, Sistar has always looking for innovative products and technology solutions in order to improve the quality of work of its customers. It is no coincidence that today Sistar is considered to be among the first Italian commercial companies in its market, strong of its market orientation, its dynamism, its dedication to meeting the needs of Consumer, for maximum attention to the Customer's needs, for the high level of service and, last but not least, to business ethics. **Sistar, people who think about your job.**



THE COMMERCIAL ORGANIZATION

Sistar is among the main Italian trade organizations of the market, with a wide network of over 25 agents of covering the national territory and is present in 30 countries around the world. The sales force does not limit its intervention to pure commercial aspects, but tries to find solutions for the various technical issues. The internal organization is also composed of people who, thanks to specific skills, respond to the needs of the market.



THE RANGE OF PRODUCTS

Sistar today presents the new Catalogue for a demanding and evolving market. A wide range of products carefully selected; from most electronic thickness gauges technology to the most basic paint filters, from chemical products to the articles for the safety protection. All products are to highest levels of performance to meet the needs of the professional End User and commercial needs of Dealer.



THE PARTNERS

The strong work of Sistar allowed to enter into cooperation agreements with many companies for the distribution of articles and recognized brands in the world including: **Riwax, Kimberly-Clark, Honeywell, Mapa, BYK-Gardner, Testo, Elcometer, Sparco, Spray-Max, Fillone Technologie, DeVilbiss, DOW Automotive System.**



THE CUSTOMERS

Some important international Companies has chosen Sistar and its strategy oriented to quality and service. In Automotive field, Commercial Transport, Yachting and in Chemical and Paint sector.



THE COMMUNICATION

Aware of the importance of communication with the market, Sistar has always paid particular attention to advertising, information and public relations, choosing specialized magazines most qualified and more important trade fairs in order to strengthen his own name and the knowledge of his products.

THE CERTIFICATION

From July 2011 Sistar has been certified ISO 9001:2008 by the prestigious Certifying Body TÜV SÜD, important milestone in whose base is always continuous improvement and continuous striving for new projects.

THE TECHNICAL CENTRE

Sistar, that in 2008 moved with offices and warehouse in new and wider seat of Desio, achieved a noteworthy Technical Center aimed at technical trials of products increasingly careful quality control and technical training sales network and customer feedback. The Technical Center has an area of preparation and polishing of the brand Nova Verta. With an area of 700 x 500 cm, with peg back filter intake and plenum, it's possible make any tests and demonstration, also to paint products in catalogue.



THE SERVICES

Commercial office:

- Tel. (+39) 0362-367350 at your disposal from Monday to Friday from 8.30 to 12.30 and from 14.00 to 18.00
- Fax (+39) 0362-367352 Active 24-hour, 365 days per year
- Website: www.sistar.it
- E-mail:
 - export@sistar.it for your orders or requests of quotation
 - logistic@sistar.it for informations about delivery of goods and the status of orders
 - accounting@sistar.it for any request about invoices, payments, Bank variation, account statements.



INDEX



CAR REFINISHING ITEMS

PAGE 3 - 85

• KIND-BOX™ PAINTING SYSTEM	4-5
• NON PAINT ITEMS	5-12
• CLEANING AND POLISHING	13-24
• TECHNICAL PRODUCTS	25-34
• ABRASIVE LINE	35-42
• MASKING AND CAR PROTECTION	43-50
• SPRAY PRODUCTS	51-67
• CHEMICAL PRODUCTS	68-73
• EQUIPMENT	74-84
• MR. KOMODO™	85




PERSONAL PROTECTION

PAGE 86 - 113

• RESPIRATORY PROTECTION	87-92
• EYE AND EAR PROTECTION	93-95
• HANDS PROTECTION	96-100
• SAFETY SHOES	101-105
• BODY PROTECTION	106-109
• HAND CLEANING AND CARE	110-113

The features and products shown may be subject to change without notice. The informations contained in this catalogue are provided for guide and in good faith. They do not imply our responsibility in consideration of many variables that can affect the proper operation and performance of the products.



PAGE 3-12

KIND-BOX™ PAINTING SYSTEM NON PAINT ITEMS

BACK TO
INDEX



KIND-BOX™

Disposable or reusable system for preparation and application of paints, primers, enamels and clear coat, both solvent-based and water-based.

It consists of a transparent graduated container with open-close valve on the bottom and of a conical cap inside of which is welded, depending on the model, a filter of 125 my for water-based products or 200 my for solvent-based products. When the paint is ready to use in the graduated container, the conical lid is screwed and, with a special adapter, the Kind-Box™ Painting System is connected directly to the spray gun with a push instead of original gravity cup.

With the KIND-BOX™ Painting System is guaranteed a fast, clean and perfect work and the remaining paint can be kept a long time also taking care to close the lid with its conical cap.

MINI KIND-BOX™ 325 ml

Code	Description
130.81200	Paint mixing cup and grey conical cap (without filter)
130.81300	Kit 325 ml included filter of 200 my welded on the grey conical cap
130.81400	Kit 325 ml included filter of 125 my welded on the black conical cap

KIND-BOX™ 650 ml

Code	Description
130.80200	Paint mixing cup and grey conical cap (without filter)
130.80300	Kit 650 ml included filter of 200 my welded on the grey conical cap
130.80400	Kit 650 ml included filter of 125 my welded on the black conical cap

MAXI KIND-BOX™ 900 ml

Code	Description
130.82200	Paint mixing cup and grey conical cap (without filter)
130.82300	Kit 900 ml included filter of 200 my welded on the grey conical cap
130.82400	Kit 900 ml included filter of 125 my welded on the yellow conical cap

OPTIONAL FILTERS FOR KIND-BOX™

Black filter of 80 my ($\pm$ 5000 meshes) for transparent solvent-based paint.

Code	Size
130.80222	Ø 30 mm for Kind-Box 325 ml and 650 ml

Red filter of 125 my ($\pm$ 2500 meshes) for water-based paint.

Code	Size
130.80207	Ø 80 mm for Kind-Box 650 ml and 900 ml
130.81207	Ø 65 mm for Kind-Box 325 ml

Green filter of 180 my ($\pm$ 1850 meshes) for solvent-based paint.

Code	Size
130.80208	Ø 80 mm for Kind-Box 650 ml and 900 ml
130.81208	Ø 65 mm for Kind-Box 325 ml

Grey conical cup 200 micron for solvent based paints

Black or yellow conical cup 125 micron for water based paints



KIND-BOX™ ADAPTERS FOR SPRAY GUNS

Adapters to fix the system KIND-BOX™ on spray gun of all brands. Light and not vulnerable to attack by solvents and aggression from oxidation. The tightness is guaranteed thanks to the simple and fast hooking and unhooking system, without the need to use keys or screw.

							
80210	80211	80212	80215	80216	80224	80225	81215
Sata Walcom	De Vilbiss Binks Ani Graco	Sata Iwata T-Euro Asturo O.M. G-2005	Sata QCC	Accuspray	Optima	Iwata AirGuns Walcom Kremlin Walther Binks Ani Asturo Mec	Sata Minijet 4 QCC Sata Minijet 3



For models of spray guns, ask for a list apart. Special adapters for the spray-guns not included in the list are available on request.

PAINT MIXING CUP

Disposable paper mixing cup for paint weight mixing. Do not use for volume paint mixing with graduated paddle. Suitable for water based paint and solvent based paint.

Code	Nominal content
132.0010	250 ml
132.0015	525 ml
132.0012	600 ml graduated
132.0018	750 ml
132.0020	1050 ml
132.0013	Lid for 600 ml graduated



PAINT MIXING CUP

Disposable transparent polypropylene mixing cup. Suitable for water based paint and solvent based paint.

Code	Content
132.0016	600 ml



PAINT MIXING CUP

Transparent graduated mixing cup made of polypropylene for solvent and water based paint mixing. Lid separately available.

For dispenser, see page n° 12.

Code	Content	Lid code
132.0052	385 ml	133.0158
132.0057	750 ml	133.0161
132.0062	1400 ml	133.0166
132.0071	2300 ml	133.0171



TOUCH-UP

Polyethylene little bottle with brush for manual retouch. Suitable for solvent and water based paint. Metal sphere for an easier shake included.

Code	Content
133.0605	40 ml

DOSING CARAFE

Transparent graduated dosing carafe made in polypropylene. Suitable for solvent and water based paint.

Code	Content
132.0031	1000 ml
132.0032	2000 ml
132.0033	3000 ml
132.0035	5000 ml

PAINT CUP

White polypropylene cup. Suitable for solvent and water based paint. Lid separately available.

Code	Content	Lid code
133.0101	120 ml	133.0151
133.0102	280 ml	133.0157
133.0104	365 ml	133.0157
133.0107	520 ml	133.0157
133.0110	800 ml	133.0160
133.0116	1180 ml	133.0163
133.0120	1550 ml	133.0165

SMALL BUCKET

White bucket with handle and lid made in polypropylene. Suitable for solvent and water based paint.

Code	Content
133.0045	2,1 L
133.0053	3,5 L
133.0060	5,6 L
133.0065	11,1 L
133.0066	13,6 L
133.0068	26,0 L

SMALL WASHING BASKET

White bucket with handle and lid made in polypropylene, 13,6 L capacity. It is used with Aercap dipping cleaner for spray-gun and spray equipment clening.



Code	Content
133.0090	13,6 L
307.0010	Cleaner Aercap

DOSING BOTTLE

Dosing bottle with curved pipe made in polyethylene. Excellent for precise mixing during paint preparation.



Code	Content
133.0305	500 ml
133.0310	1000 ml

SPRAY MATIC

Handy multi-function sprayer with manual charge.



Code	Content
785.4110	Fluid: 1,5 L - Total: 1,71 L

SPRAYER

Pressure pump with spear sprayer suitable to vaporise the No-Dust Long Time on the floor of the spray booth.




Code	Content
133.1500	Fluid: 5 L - Total: 7,2 L.
310.5105	No-Dust



GERSON ELITE

Hight quality paper paint strainer. Suitable for water based paint and solvent based paint.



Code	Micron	Color
131.0300	125 my	Blue
131.0302	190 my	Yellow
131.0304	260 my	Orange
131.0309	Dispenser	

PAPER PAINT STRAINER



Hight quality paper paint strainer. Suitable for water based paint and solvent based paint.

Code	Description	Micron
131.0200	850 meshes	226 my Medium



PLASTIC GRAVITY SPRAY-GUN FILTER

Gravity spray-gun filter for Sata, DeVilbiss, Iwata, Optima brands.

Code	Description	Micron
131.1000	Nylon net 600 meshes	280 my

Gravity spray-gun filter for Asturo Mec, Walmecc brands.

Code	Description	Micron
131.1010	Nylon net 2000 meshes	160 my

Gravity spray-gun filter for AOM, Azimonti brands.

Code	Description	Micron
131.1015	Nylon net 2000 meshes	160 my

STEEL FILTER

Suction spray-gun filter.



Code	Description	Micron
131.1050	Filtering metal net 1000 meshes	190 my

SUCTION SPRAY-GUN FILTER

Plastic filter for suction spray gun.



Code	Description	Micron
131.1100	2000 meshes	160 my
131.1110	5000 meshes	90 my
131.1120	10000 meshes	60 my

FILTERING PLASTIC CUP

Filtering plastic cup with nylon net. Suitable for water based paint and solvent based paint.

Code	Description	Micron
131.0500	1000 meshes	190 my
131.0510	2000 meshes	160 my
131.0515	2500 meshes	120 my
131.0520	5000 meshes	90 my
131.0530	10000 meshes	60 my
131.0540	15000 meshes	45 my



FILTERING PLASTIC CUP SUPER 90

Filtering plastic cup. Excellent for water based paint thanks to the wide filtering surface with Ø 90 mm.

Code	Description	Micron	Color
131.0550	2500 meshes	125 my	Green
131.0552	1000 meshes	190 my	Light blue
131.0554	600 meshes	280 my	White



FILTERING NYLON NET

Size: 11x11 cm.

Code	Description	Micron
131.0600	5000 meshes	90 my
131.0605	2000 meshes	160 my
131.0607	2500 meshes	120 my
131.0610	10000 meshes	60 my



**COLOUR-MATCHING**

Colour matching metal plate, treated with acrylic primer. With black stripe for checking the quality of the covering paint power. Thickness: 0,15 mm.

Code	Size	Color
134.0135	130x90 mm	White

**COLOUR-MATCHING**

Colour matching paper card treated with special ink with no colour alteration. The version for water based paint has a special protection in order to avoid paint absorption.

Code	Description	Size
134.0200	For solvent based paints	100x130 mm
134.0205	For water based paints	100x130 mm

**STAR MIX™**

Reusable plastic mixing paddle. The special shape allow to mix the paint perfectly also in the bottom of the container.

Code	Description	Size
134.1012	Nylon Blue, semi-rigid	295x25 mm
134.1014	Polypropylene black, semi-flexible	295x25 mm

**RAPID-MIX™**

Plastic paint paddle for water based and solvent based paint products. Thanks to the special profile and holes it grants a quick and perfect mixing.

Code	Size
134.1016	Big 275x28 mm
134.1018	Mini 200x20 mm

MICRO-BRUSH

Manual touch up small brush with a thin cotton tip.
100 pieces packing.

Code	Tip
136.0210	(A) Medium
136.0211	(B) Fine
136.0212	(C) Super fine



RECTIFIED BLADE

Stainless steel blade with smooth angles, perfectly rectified.
Suitable for complete removing of paint defects.

Code	Size
138.0055	25x30x3 mm
138.0056	Magnetic sanding block



SANDING BLOCK

Little hand sanding block, with magnetic for rectified blade
and velcro connection for abrasive mini-discs.

Code	Description
138.0056	Magnetic sanding block
138.0055	Rectified blade
172.0535	Abrasive mini-disc with velcro



SHIM-MASK by DEVILBISS

Stainless steel masking stencil to prevent rub-through
when sanding or shaving minor surface imperfections.
Ideal for: paint and lacquer runs, imperfections,
minimising area when sanding paint-filled chips or
scratches. Advantages: stainless steel 304 provides
hardness for re-use, chemically etched shapes eliminates
burred edges, choice of four stencil shapes.

Code	Pack
138.0070	Kit of 3 Shim-Mask 120x120 mm





SPRAY-GUN CLEANING

Suitable for cleaning all types of spray guns.
Brushes resistant to solvent and thinner for paint.


Code
138.5130



PAINT DIRT REMOVER

Kit with 1 plastic pen holder with safety cap and 10 special needles. Excellent to remove dirt from the fresh paint work.

Code	Description
138.0051	Kit
138.0052	Blister



DISPENSER

Excellent for having the mixing cup all time to hand and safe from dust. To fix on the wall.

Code	Size
132.1000.3	385 ml for 132.0052
132.1000.7	750 ml for 132.0057
132.1000.14	1400 ml for 132.0062
132.1000.23	2300 ml for 132.0071



RAZOR

Scraper steel blade holder with security lock.
Excellent to remove glue, resin and any kind of dirt from surfaces.

Code	Size
138.0100	40x100 mm
138.0101	Blade spare parts - pack 100 pcs



PAGE 13-24

CLEANING AND POLISHING



WHITE TACK CLOTH

White adhesive duster gauze for solvent based paint. Single pack.

Code	Cloth size
151.0020	82x47 cm



TACK-RAGS GRAMOS

Non-woven cloth, semi-adhesive, white, duster with low content of resin. Ideal for water based paint. Single pack.

Code	Cloth size
151.0030	40x45 cm



STAUB-FIX

The original "Made in Germany" adhesive duster cloth for solvent based paint and water based paint. Single pack.

Code	Description	Cloth size
151.0060	Staub-Fix Standard	80x50 cm
151.0065	Staub-Fix Hydro	80x50 cm



DUPONT™ SONTARA® SPS

Special duster cloth for water-based and solvent based paints. Pack of 12 cloths.

Code	Cloth size
151.0055	38x43 cm

BUMPER PREP PAD by DEVILBISS CLEAN

Abrasive fiber cloth impregnated with special detergent, specifically studied for the treatment of new bumpers without primers and for plastic parts. This product removes paint defects, cleans, degreases and makes the plastic surface mat in order to prepare for new painting. It's a disposable product, "all in one".



Code	Pack	Cloth size
151.0090	12 pcs.	140x115 mm

DU PONT™ SONTARA® SPS

Turquoise non-woven cloth with embossed surface. Suitable to degrease surfaces with anti-silicone and cleaning products both solvent based and water based.



Code	Description	Cloth size
152.5040	Pack of 200 folded sheets	32,5x42 cm

DU PONT™ SONTARA® SPS

Turquoise non-woven cloth with embossed surface. Suitable to degrease surfaces with anti-silicone and cleaning products both solvent based and water based.



Code	Description	Cloth size
152.5042	Roll of 250 sheets with central extraction	23x40 cm
152.5035	Wall dispenser for roll	

DU PONT™ SONTARA EC® LIGHT

Turquoise non-woven cloth suitable for use with anti-silicone and cleaning products both solvent based and water based.



Code	Description	Cloth size
152.5050	Carton-box/dispenser of 300 sheets	30x42 cm



KIMTECH PREP™

Embossed non-woven cloth made of polypropylene, blue. Ideal for use with anti-silicone and cleaning solvents. Great wet power. Available in three different packs.



Code	Description	Cloth size
152.7644	Brag-Box of 160 sheets	30x42 cm
152.7622	Folded in pack of 35 sheets	38x49 cm
152.7643	Roll of 500 sheets	38x34 cm



WETTASK® SXX

Rechargeable wet cleaning system. White non-woven cloth, suitable for use with anti-silicone and cleaning solvents. After putting the fabric roll in the bucket, put the liquid inside in order to impregnate the cloth.

Code	Description	Cloth size
152.7764	Roll of 60 sheets with central extraction	29,5x29,5 cm
152.7921	HDPE bucket of 4,5 L	



WYPALL X80 Steel Blue

Thick and very resistant cleaners for hard cleaning works, high absorbency in order to work better and faster. The structure HYDROKNIT is made using water jets which combine the soft paper fibers to the non-woven made of polypropylene. During the preparation of surface with solvents or during the cleaning of grease and oil slicks, these cloths are very good.

Code	Description	Cloth size
152.8373	Brag-Box of 160 sheets	31,8x42,7 cm

WYPALL X60

Non-woven cloths made with unique and patented technology. Made of polypropylene and cellulose fibers, chlorine free, are durable and absorbent. Suitable to use dry or wet in all cleaning works with solvents and anti-silicone.



Code	Description	Cloth size	Color
152.8370	Brag Box of 200 sheets	31,7x42,6 cm	Light blue

STAR-TEX

Light blue non-woven cloth, suitable for use with anti-silicone and cleaning solvents. Excellent absorption power. Pack of 100 sheets.



Code	Cloth size
152.5020	37x50 cm

STAR-SOFT™

Cotton cloth for polishing. Excellent softness, low release of fibers and high absorbency. Acids and solvents resistant, silicone-free. Sterilized and also free of any particles that could damage the surface.



Code	Pack	Cloth size
161.5010	Pack of 200 sheets	40x40 cm

STAR-WHITE™

White cotton for polishing, specific for car body-shops. Great softness and low release of fibers. Silicon free and also free of any particles that could damage the surface.

Code	Pack
161.5021	1 Kg
161.5023	0,5 Kg (pleated)
161.5025	5 Kg





SMOOTH PAPER TOWEL

Paper roll made of not recycled pure cellulose. Extra quality, double layer. Does not contain optical brighteners.

Code	Description	Color
575.8900	Roll of 800 sheets 26x38 cm - 3,5 kg about	White



EMBOSSED PAPER TOWEL

Paper roll made of not recycled pure cellulose, double layer, extra quality. Embossed structure with honeycomb for better absorbency. Does not contain optical brighteners.

Code	Description	Color
575.8902	Roll of 800 sheets - 2,0 Kg about	White



GROUND DISPENSER

Ground dispenser. Suitable for rolls ø max. 60 cm, length max. 36 cm. Made of white metal.

Code
576.8920



WALL DISPENSER

Wall dispenser. Suitable for rolls ø max. 60 cm, length max. 36 cm. Made of white metal.

Code
576.8921

TROLLEY

Big and strong trolley for paper or non-woven rolls. With bag for rubbish.



Code	Size
576.6155	109x50x50 cm

POLISOFT™

Non-woven cloth made of 100% perforated viscose. Very soft, is perfect for polishing any delicate surface in car-body Shop. Available in two convenient packs.



Code	Description	Cloth size
161.5030	Carton-box/dispenser of 550 sheets	30x40 cm
161.5032	Roll of 250 sheets	23x40 cm
152.5035	Wall dispenser for roll	

DU PONT™ SONTARA® SPS POLISH CLOTH

Non-woven cloth very soft, excellent to polish the most delicate surfaces. Roll with central extraction.



Code	Pack	Cloth size
161.5052	Roll of 275 sheets	36,5x40 cm

KIMTECH PREP™

Extra soft non-woven cloth, ideal for polishing use. Roll of 300 sheets with central extraction.



Code	Description	Cloth size
161.7212	Roll with carton-box	60x40 cm
161.7213	Roll with plastic bucket	60x40 cm



MICROFIBER CLOTH

High-tech microfiber cloth. Ideal for cleaning delicate surfaces also without detergents. Excellent for polishing and removing halos on the body of vehicles. Collects and retains dust. Better absorbency, very resistant and durable even after several washes. Pack of 5 pieces.

Code	Cloth size	Color
161.5574.B	40x40 cm	Blue
161.5574.C	40x40 cm	Light blue
161.3475.N	40x40 cm	Black



WYPALL®

Soft microfiber cloth, ideal for cleaning and polishing delicate surfaces also without chemical detergents. It is also washable in washing machine up to 300 times. The green version with smooth structure is ideal for cleaning of glass and windshield.

Code	Cloth size	Color
161.8394	40x40 cm	Yellow
161.8395	40x40 cm	Light blue
161.8397	40x40 cm	Red
161.8396	40x40 cm	Green with smooth structure for glass



CLEAN CLAY CLOTH

Microfiber cleaning cloth with one size made of abrasive clay for cleaning and polishing. It is used with RX20 or RX21 Spray Finish Riwx to remove dirty air pollution, industrial pollution, paint fumes, dust rust, bird droppings from car-body and painted surfaces. Used with Glas-Clar Riwx, it eliminates splashing tar, bitumen, resin. After use review with a microfiber cloth and the surface is thoroughly cleaned, free of any dirt and contamination, perfectly smooth and shiny.

Code	Size
785.5602	Cloth 30x32 cm, clay 26x28 cm about



SMOOTH POLISHING SPONGE

Smooth polishing sponge, orange, medium density and hardness, suitable for polishing of painted surfaces with different abrasive pastes. Use with polishing machines with variable speed. Velcro connection.

Code	Size	Color
162.0160	ø 160 mm x 30 mm	Orange

ASHLAR POLISHING SPONGE - ORANGE

Ashlar polishing sponge, orange, medium density and hardness, suitable for polishing of painted surfaces with different abrasive pastes. Use with polishing machines with variable speed. Velcro connection.

Code	Size	Color
162.0120	ø 180 mm	Orange
162.0129	ø 135 mm	Orange



ASHLAR POLISHING SPONGE - BLUE

Ashlar polishing sponge, blue, soft. Suitable for polishing of painted surfaces with polishing abrasives pastes and finishing polish. Use with polishing machines with variable speed. Velcro connection.

Code	Size	Color
162.0127	ø 180 mm	Blue



ASHLAR POLISHING SPONGE - BLACK

Ashlar polishing sponge, black, extra soft. Suitable for polishing of painted surfaces with finishing polish and protection wax. Use with polishing machines with variable speed. Velcro connection.

Code	Size	Color
162.0126	ø 180 mm	Black



SMOOTH EXTRA-SOFT POLISHING SPONGE

Smooth polishing sponge with curved edge, extra soft, black. Suitable for the perfect polishing of painted surfaces with finishing polish and protection wax. Ideal for dark and delicate colors. Suitable for use with Orbital polishing machine. Velcro connection.

Code	Size
162.0131	ø 160 mm



V8 POLISHING SPONGE

Orange polishing sponge with high density and hardness, suitable for polishing of painted surfaces with different abrasive pastes. Use with polishing machines with variable speed. Velcro connection.

Code	Size	Color
162.0105	ø 160 mm	Orange

V65 POLISHING SPONGE

Tobacco-colored polishing sponge with medium-soft density, suitable for polishing of painted surfaces with abrasive polishing pastes and finishing polish. Use with polishing machines with variable speed. Velcro connection.

Code	Size	Color
162.0155	ø 160 mm	Tobacco

ASHLAR POLISHING MINI-SPONGE

Ashlar polishing mini-sponge, orange, medium density and hardness. Suitable for polishing of painted surfaces with different abrasive pastes. Ideal for polishing of areas hard to access. Use with polishing machines with variable speed. Velcro connection.

Code	Size	Color
162.0128	ø 80 mm	Orange

MINI-POLISHING SPONGE

Mini-polishing sponge perfect for polishing of areas hard to access. Velcro connection.

Code	Description	Size	Color
162.0140	Medium	ø 80 mm	Orange
162.0146	Extra soft	ø 80 mm	Black

PURE WOOL BONNET

Pure wool bonnet, suitable for polishing of painted surfaces with different abrasive pastes. Use with polishing machines with variable speed. Available with the classic connection with strings to be hooked on pad with code 164.0360.



Code	Size	Color
162.0201	ø 200 mm	White

PURE WOOL DISC - WHITE

Pure wool disc, suitable for polishing of painted surfaces with different abrasive pastes. Use with polishing machines with variable speed. Available in different sizes. Velcro connection.



Code	Size	Color
162.0204	ø 150 mm	White
162.0206	ø 185 mm	
162.0207	ø 200 mm	

PURE WOOL DISC - BLACK

Pure wool disc, suitable for polishing of painted surfaces with different abrasive pastes. Use with polishing machines with variable speed. Velcro connection.



Code	Size	Color
162.0205	ø 150 mm	Black
162.0209	ø 135 mm	

MINI WOOL DISC

Mini wool disc, suitable for polishing of areas hard to access. Velcro connection.



Code	Size	Color
162.0210	ø 75 mm	White
162.0211	ø 75 mm	Black



PREFORMED WOOL BONNET

Preformed wool bonnet, suitable for polishing of painted surfaces with different abrasive pastes. Use with polishing machines with variable speed. Available with velcro connection to be applied on pad with code 164.0345.

Code	Size	Color
162.0220	ø 200 mm	White
164.0345	Pad ø 180 mm - M14	



COMPRESSED AZELLA

Pure cellulose compressed sponge, 100% biodegradable. In contact with water it expands and is immediately ready for use.

Code	Size	Color
155.0073.CF	144x101x31 cm	Blond



WYPALL

Wet cloth for cleaning and protection in a portable pack, with a rough side to remove dirt and a smooth side for cleaning and polishing. Ideal for cleaning hands, tools and machines without soap, gel or water; this product protects your hands, reduces skin dryness and improves sanitation.


Code	Pack	Cloth size
152.7772	50 pcs	27x27 cm



PAGE 25-34

TECHNICAL PRODUCTS

BACK TO
INDEX



UNIVERSAL SANDING PAD - 21 HOLES

Universal sanding pad with 21 holes (20+1 Central) with ducted suction. Suitable with all abrasive discs with 6, 7, 9, 15 and 21 holes. Thanks to double thread 5/16" and M8 can be placed on all Random Orbital Sanders. Velcro connection.

Code	Size	Thread
171.0406	ø 150 mm	5/16" and M8



SANDING PAD - 15 HOLES

Sanding pad with 15 holes (14+1 Central) with ducted suction. Suitable with all abrasive discs with 6, 7, 9, 15 holes. Velcro connection.

Code	Size	Thread
171.0400	ø 150 mm	5/16"
171.0403		M8



REINFORCED SANDING PAD - 15 HOLES

Reinforced sanding pad with 15 holes (14+1 Central) with ducted suction. Suitable with all abrasive discs with 6, 7, 9, 15 holes. Reinforced in the centre in order to prolong and intensify the use. Velcro connection.

Code	Size	Thread
171.0418	ø 150 mm	5/16"



REINFORCED SANDING PAD - 6 HOLES

Reinforced sanding pad with 6 holes with direct suction. Reinforced in the centre in order to prolong and intensify the use. Suitable with all abrasive discs with 6 holes. Velcro connection.

Code	Size	Thread
171.0417	ø 150 mm	5/16"

REINFORCED SANDING PAD WITHOUT HOLES

Reinforced sanding pad without holes. Reinforced in the centre in order to prolong and intensify the use. Suitable with all abrasive discs without holes or anti-halos polishing sponge with Random Orbital Sanders. Velcro connection.



Code	Size	Thread
171.0419	ø 150 mm	5/16"

SANDING PAD Ø 125 mm - 9 HOLES

Sanding pad Ø 125 mm with 9 holes (8+1 Central) with ducted suction. Can also be used with the Sander-polisher 471.0830. Velcro connection.



Code	Size	Thread
171.2018	ø 125 mm	5/16"

MINI SANDING PAD

Mini-sanding pad for sanding and polishing the defects of paint. Velcro connection.



Code	Size	Thread
171.0305	ø 75 mm	5/16"

MICRO SANDING PAD

Micro sanding pad made of rubber, Ø 30 mm, thread M10, available with velcro or adhesive connection. Usable with the mini random orbital angular sanding machine art. 471.0860 for sanding the defects of paint.

Code	Size	Thread	Description
171.0310	ø 30 mm	M10	Velcro connection
171.0315	ø 30 mm	M10	Adhesive connection



SOFT ADAPTER

Soft adapter for sanding and polishing. Available with Ø 75 mm and 125 mm in order to match with their sanding pad. Velcro connection.

Code	Size	Thickness
171.0595	Ø 75 mm	10 mm
171.0597	Ø 125 mm	10 mm

SEMI-RIGID ADAPTER

Universal semi-rigid adapter with 21 holes. To apply to sanding pad in order to make it softer. Velcro connection.

Code	Size	Thickness
171.0603	Ø 150 mm	6 mm

SOFT ADAPTER

Universal soft adapter with 21 holes. To apply to sanding pad in order to make it softer. Velcro connection.

Code	Size	Thickness
171.0608	Ø 150 mm	10 mm

SEMI-RIGID ADAPTER

Semi rigid adapter with micro-velcro, without holes. Ideal for sanding water. Velcro connection.

Code	Size	Thickness
171.2031	Ø 150 mm	10 mm

VELCRO ADHESIVE ADAPTER

Velcro adhesive adapter to use instead of damaged velcro on sanding and polishing pads.

Code	Size	Holes
171.0610	ø 150 mm	6
171.0611	ø 150 mm	9
171.0612	ø 150 mm	Without holes
171.0613	ø 150 mm	15
171.0614	ø 150 mm	21
171.0615	ø 150 mm	7
171.0617	115x230 mm	Without holes



SUCTION MANUAL SANDING BLOCK

Suction blocks for manual sanding with abrasive sheets with velcro connection. Available in 3 sizes. Velcro connection.

Code	Size	Holes
171.0200	70x125 mm	8
171.0202	70x420 mm	14
171.0205	115x230 mm	10



MANUAL SANDING BLOCK - Ø 75 mm

Manual block for sanding with abrasive discs Ø 75 mm. The connection with micro-velcro allows the sanding also with fine grits in areas hard to access.

Code	Size
171.2001	ø 75 mm



MANUAL SANDING BLOCK - Ø 125 mm WITH BELT

Manual block for sanding with abrasive discs Ø 125 mm. The connection with micro-velcro allows the sanding also with fine grits in areas hard to access. It is equipped with adjustable belt for better handling.

Code	Size
171.2023	ø 125 mm



MANUAL BLOCK FOR DISCS

Manual block for sanding with abrasive discs Ø 150 mm. The connection with velcro on the sides allows the sanding with abrasive also in corners and in areas hard to access.

Code	Size
171.0535	75x150 mm

MODULAR SANDING BLOCK

Modular block made of rubber mousse for manual sanding. Thanks to rigid plate and the soft adapter can be obtained a block with different hardness for every need of sanding. Velcro connection.

Code	Size
171.0540	Block+plate+soft 70x125x49 mm (35+9+5 mm)
171.0541	Only block

RUBBER SANDING BLOCK

Rubber block for manual sanding wet.

Code	Size
171.0550	70x125 mm

PLASTIC SANDING BLOCK

Plastic block for manual sanding. The two springs on the sides stop the abrasive paper without velcro. Applying the velcro adapter 171.0617 can also be used with abrasive paper with velcro.

Code	Size
171.0555	105x215 mm

MANUAL LITTLE SANDING BLOCK

Little block for manual sanding with abrasive mini-discs ø 35 mm. With a rigid side and a semi-rigid side with rubber support in addition to a soft adapter to get different hardnesses for every need of sanding.


Code	Description
171.0530	Velcro connection
171.0532	Adhesive connection



WHEEL FOR REMOVING ADHESIVE STRIPE

Special rubber wheel suitable for removing adhesive and glue residues from surfaces without damaging the paint. Usable with the Eraser tool Cod. 471.0875. With the threaded adapter it can be mounted on a normal drill.

Code	Size	Thread
176.0500	ø 90 mm x 15 mm	5/16"
176.0501	Adapter for spin	



BLACK DRY-COAT

Spy-powder control for sanding. Apply the powder on putty and primer before sanding in order to highlight the non-sanded areas. Absolutely inert and compatible with all preparation products. Black color. The Kit has of 1 tampon to apply the spy-powder and 2 spy-powder bottles of 30 g.

Code	Description
173.8365	Kit
173.8367	Spy-powder bottle of 30 g - Black



ORANGE DRY-COAT

Spy-powder control for sanding. Apply the powder on putty and primer before sanding in order to highlight the non-sanded areas. Absolutely inert and compatible with all preparation products. The orange color improves the visibility on black and dark surfaces. The Kit has of 1 tampon to apply the spy-powder and 2 spy-powder bottles of 15 g.


Code	Description
173.8368	Kit
173.8369	Spy-powder bottle of 15 g - Orange



**STEEL SPREADER**

Steel spreader made of hardened C72-metal.
Thickness: 0.25 mm. Available in 3 sizes.

Code	Size
176.1520	120x80 mm
176.1521	120x100 mm
176.1522	120x120 mm

**RUBBER SPREADER**

Spreader made of neoprene flexible rubber, solvents resistant. Thickness: 4 mm. Available in 2 sizes.

Code	Size
176.1550	76x50 mm
176.1555	100x60 mm

**METAL SPREADER**

"Japanese" flexible metal spreaders. Set of 4 different sizes.

Code	Description
176.1540	Set of 4 pcs of 50-80-100-120 mm x 125 mm

**PLASTIC SPREADER**

Spreader made of polypropylene, solvents resistant. Rounded angles.

Code	Size	Color
176.1500	115x80 mm	Red

PAD FOR WOOL BONNET


Semi-flexible rubber pad with support made of soft foam resin. Suitable for wool bonnet with strings.



Code	Size	Thread
164.0360	ø 180 mm	M14

PAD FOR WOOL DISC

Rigid pad with support made of foam resin and rounded edges. Suitable for wool discs. Velcro connection.



Code	Size	Thread
164.0361	ø 185 mm	M14
164.0362	ø 150 mm	

POLISHING PAD

Pad made of foam resin, suitable for wool discs and polishin pads. Velcro connection.



Code	Size	Thread
164.0363	(A) ø 150 mm	M14
171.2015	(B) ø 150 mm	5/8"

MINI POLISHING PAD

Mini polishing pad made of resin, suitable for foam mini-pads and wool mini-discs. Velcro connection.



Code	Size	Thread
164.0365	(A) ø 70 mm	M14
164.0366	(B) ø 70 mm	5/8"



PAD FOR PREFORMED BONNET

Rigid pad with rubber support, ideal for preformed wool bonnet or wool discs. Velcro connection.

Code	Size	Thread
164.0345	ø 180 mm	M14



A



B

POLISHING SUPPORT

Rigid support-flange made of resin, yellow. Suitable for polishing pads. Velcro connection.

Code	Size	Thread	Color
164.0373	ø 118 mm	M14	Yellow
171.2033	ø 100 mm	5/8"	Black



RUBBER SANDING PAD

Semi-flexible rubber pad, suitable for polishing pads and wool discs. Velcro connection.

Code	Size	Thread
164.0350	ø 150 mm	M14
164.0352	ø 125 mm	

BRUSH

Brush with synthetic bristles and wood handle, specially designed for quick and perfect cleaning of polishing pads, bonnets and wool discs.



Code	Size
165.0069	22x1,5 cm



PAGE 35-42

ABRASIVE LINE

BACK TO
INDEX



EXEL™

Abrasive of new concept with polyester film support. It can be used wet and dry, flexible, humidity resistant, completely plane, long duration and high performance. Suitable for the sanding of any finishing and preparation products.

Abrasive: aluminium oxide




Substrate: PE film

Binder: resin over resin

Grain distribution: open

Powder free: calcium stearate

Color: light blue




				
	EXEL 21 discs Ø 150 mm 21 holes velcro connection	EXEL SF discs Ø 150 mm without holes velcro connection	EXEL SOFT TOUCH discs Ø 150 mm without holes velcro connection	EXEL discs Ø 75 mm without holes velcro connection
Grits	Code	Code	Code	Code
P60	172.0136.60			
P80	172.0136.80			172.0140.80
P100	172.0136.100			
P120	172.0136.120			172.0140.120
P150	172.0136.150			172.0140.150
P180	172.0136.180			172.0140.180
P220	172.0136.220			172.0140.220
P240	172.0136.240			172.0140.240
P280	172.0136.280			172.0140.280
P320	172.0136.320			172.0140.320
P360				172.0140.360
P400	172.0136.400			172.0140.400
P500	172.0136.500			
P600	172.0136.600		172.0146.600	172.0140.600
P800	172.0136.800		172.0146.800	172.0140.800
P1000		172.0137.1000	172.0146.1000	172.0140.1000
P1200	172.0136.1200	172.0137.1200	172.0146.1200	172.0140.1200
P1500	172.0136.1500	172.0137.1500	172.0146.1500	172.0140.1500
P2000	172.0136.2000	172.0137.2000	172.0146.2000	172.0140.2000
P2500	172.0136.2500			172.0140.2500
P3000		172.0137.3000	172.0146.3000	172.0140.3000



MASTER™

High quality abrasive paper with high performance and long life. Available with discs Ø 150 mm, 15 holes and sheets in different size and holes, velcro connection. Suitable for sanding of any finishing and preparation products.

Abrasive: aluminium oxide
Substrate: paper type B-C latex
Binder: double phenolic resin
Grain distribution: semi-open
Powder free: calcium stearate
Color: beige, inhomogeneous

			
	Discs 15 holes Ø 150 mm velcro connection	Discs 9 holes Ø 125 mm velcro connection	SOFT TOUCH 15 holes discs Ø 150 mm velcro connection
Grits	Code	Code	Code
P60	172.0120.60		
P80	172.0120.80	172.2065.80	
P100	172.0120.100	172.2065.100	
P120	172.0120.120	172.2065.120	
P150	172.0120.150	172.2065.150	
P180	172.0120.180	172.2065.180	
P220	172.0120.220	172.2065.220	
P240	172.0120.240	172.2065.240	
P280	172.0120.280	172.2065.280	
P320	172.0120.320	172.2065.320	172.0125.320
P400	172.0120.400	172.2065.400	172.0125.400
P500	172.0120.500	172.2065.500	172.0125.500
P600	172.0120.600	172.2065.600	172.0125.600
P800	172.0120.800	172.2065.800	172.0125.800
P1000	172.0120.1000		172.0125.1000



GOLD STAR™

Good quality abrasive paper for working with a good balance between price and quality. Discs Ø 150 mm, 15, 6 holes and without holes, velcro connection. Suitable for sanding of any finishing and preparation products in industry, automotive, nautic, building and wood market.

Abrasive: artificial corundum









Substrate: paper B-C

Binder: phenolic resin

Grain distribution: semi-open coat

Powder free: zinc stearate

Color: gold yellow


								
	Discs Ø 150 mm 15 holes velcro connection	Discs Ø 150 mm without holes velcro connection	Sheets 70x125 mm without holes velcro connection	Sheets 70x420 mm 14 holes velcro connection	Sheets 115x230 mm 10 holes velcro connection	Sheets 230x280 mm dry	Rolls 115 mm x 50 m dry	Rolls 115 mm x 25 m velcro connection
Grits	Code	Code	Code	Code	Code	Code	Code	Code
P40	172.2160.40	172.2161.40		172.0225.40				172.2170.40
P60	172.2160.60	172.2161.60		172.0225.60		172.2167.60	172.2165.60	172.2170.60
P80	172.2160.80	172.2161.80	172.0220.80	172.0225.80	172.0235.80	172.2167.80	172.2165.80	172.2170.80
P100	172.2160.100	172.2161.100	172.0220.100	172.0225.100	172.0235.100	172.2167.100	172.2165.100	172.2170.100
P120	172.2160.120	172.2161.120	172.0220.120	172.0225.120	172.0235.120	172.2167.120	172.2165.120	172.2170.120
P150	172.2160.150	172.2161.150	172.0220.150	172.0225.150	172.0235.150	172.2167.150	172.2165.150	172.2170.150
P180	172.2160.180	172.2161.180	172.0220.180	172.0225.180	172.0235.180	172.2167.180	172.2165.180	172.2170.180
P220	172.2160.220	172.2161.220	172.0220.220	172.0225.220		172.2167.220	172.2165.220	172.2170.220
P240	172.2160.240	172.2161.240	172.0220.240	172.0225.240	172.0235.240	172.2167.240	172.2165.240	172.2170.240
P280	172.2160.280	172.2161.280	172.0220.280			172.2167.280	172.2165.280	172.2170.280
P320	172.2160.320	172.2161.320	172.0220.320		172.0235.320	172.2167.320	172.2165.320	172.2170.320
P360	172.2160.360		172.0220.360		172.0235.360			
P400	172.2160.400		172.0220.400	172.0225.400	172.0235.400	172.2167.400	172.2165.400	172.2170.400
P500	172.2160.500		172.0220.500		172.0235.500			
P600	172.2160.600				172.0235.600			
P800	172.2160.800			172.0225.800	172.0235.800			
P1000	172.2160.1000							

PRO LINE RED GRIP

High performance abrasive paper with velcro connection. Abrasive made of corundum, binder of resin on glue, grain distribution semi-open, paper weight F. Suitable for sanding of any finishing and preparation products. Sectors of use: wood, industry, nautic, car-body Shop, metal and fiberglass.



Code	Size	Holes	Grits	Color
172.0302	ø 150 mm	15	P40-P60-P80-P100-P120	Red oxide
172.0304	ø 150 mm	Without holes	P40-P60-P80-P100-P120-P150	Red oxide




PRO LINE RED

Multi purpose abrasive paper, very flexible, high performances, rolls without velcro. Abrasive made of aluminium oxide, binder of double resin, grain distribution semi-close, latex paper weight C-D. Suitable for sanding dry and wet of preparation products. Sectors of use: wood, industry, nautic, automotive, plastic, metal.



Code	Size	Grits	Color
172.0308	Rolls 115 mm x 50 m	P40-P60-P80-P100-P120-P150-P180-P220	Red
172.0310	Sheets 230x280 mm	P120-P180-P240-P320	Red



MIRROR FINISH™

Fabric/Net abrasive made of silicon carbide with foam rubber support. Suitable for sanding wet with water and also dry, both with sanding machine and without. Available with fine grits in order to prepare the surfaces for touch-up and polishing. Velcro connection.



Code	Size	Grits	Color
172.0472	Discs ø 150 mm without holes	2000-3000-4000	Grey

STAR LINE FINISH WP

Waterproof abrasive paper. Suitable for hand finishing wet of all painted products.



Code	Size	Grits	Color
172.2180	Sheets 230x280 mm	P400-P500-P600-P800-P1000-P1200-P1500-P2000-P2500	Grey

STAR LINE FIBER

Abrasive fiber made of non-woven, flexible. It can be used by both sides for sanding surfaces and areas hard to access. Available in two different Grits:

VF - very fine red (360) to create an excellent adhesion between painted products.

UF - ultra fine grey (1500) to make mat and rough painted surfaces.

Abrasive: aluminium oxide

Support: phenolic resin

Binder: resin over resin

Grain distribution: three-dimensional



ROLLS

Code	Size	Color	Grits
172.0432	Roll of 115 mm x 10 m	Red VF	360
172.0434		Grey UF	1500



SHEETS

Code	Size	Color	Grits
172.0442	Sheets of 152 x 229 mm	Red VF	360
172.0444		Grey UF	1500



SHEETS

Code	Size	Color	Grits
172.0452	Sheets of 115 x 280 mm	Red VF	360
172.0454		Grey UF	1500



DISCS

Code	Size	Color	Grits
172.0462	Disc Ø 150 mm with velcro connection	Red VF	360
172.0464		Grey UF	1500

STAR LINE FOAM

Abrasive roll made of aluminium oxide, extremely flexible, with paper and sponge support. Suitable for manual sanding of any finishing and preparation products on irregular surfaces and areas hard to access.

Code	Size	Color
172.0410	Roll of 115 mm x 25 m with pre-cut at 125 mm	Light yellow
Grits		
P150-P180-P220-P240-P280-P320-P400-P500-P600-P800		



MASTER SOFT™

Abrasive paper of high quality and performances, soft roll, very flexible. Abrasive made of aluminium oxide on support of soft and latex paper, 4 mm. Suitable for manual sanding of preparation and finishing products on irregular surfaces and areas hard to access.

Code	Size	Color
172.0415	Roll of 115 mm x 25 m with pre-cut at 125 mm	Beige
Grits		
P180-P220-P240-P280-P320-P400-P500-P600-P800-P1000		



STAR LINE MINI ADHESIVE

Abrasive mini-disc Ø 32 mm, adhesive connection. Suitable for manual or with machine sanding of defects of paint. Pack of 100 pcs.

Code	Size	Grits
172.0555	Mini-discs Ø 35 mm	P1200-P1500-P2000-P2500-P3000
171.0532	Little manual block for adhesive connection	




STAR LINE MINI GRIP FINISHING

Abrasive mini-discs Ø 35 mm. Suitable for manual or with machine sanding of defects of paint. Use with the little block 171.0530 or 138.0056. Velcro connection.

Code	Size	Grits
172.0535	Mini-discs Ø 35 mm	P1500-P2000-P2500-P3000
171.0530	Little manual block with velcro	
138.0056	Little manual block with velcro	





ZIRCONIUM ABRASIVE

Very hard and resistant abrasive, high-performance, available in discs of different sizes without holes and with velcro.

Abrasive: zirconium oxide

Binder: double resin

Grain distribution: close


Substrate: paper weight F

Suitable for dry sanding with machine on metals, stainless steel, alloys, titanium, hardwoods, fiberglass. Areas of application: Metal Industry, Wood, Automotive, Nautic Industry, Fiberglass.

Code	Grits	Color
172.2xxx	P36-P40-P60-P80-P100-P120	Greenish blue

ABRASIVE BLOCKS

Abrasive blocks made of carbonaceous material, suitable to remove the defects on painted surfaces. Are used also in spot-repair to eliminate little dirt and drippings after painting and prepare the surface for polishing.



Code	Grits
172.2500	800
172.2501	1500
172.2503	3000
172.2505	Sponge for maintenance

FIBER GLOBAL

Fiber abrasive, very resistant, perfect for matting the Cataphoresis treatment and hard paints. It is an innovative product and stands out for its great flexibility, efficiency and low price in relation to the duration and performance. Areas of application: Automotive, Metals, Composite Materials, Nautic Industry, Production of vehicles, Decoration, Building, Wood.

Abrasive: aluminium oxide (VF), silicon carbide (UF)

Support: non-woven Fabric

Binder: epoxy on resin

Coating: Three-dimensional

Grits: VF (360) UF (1500)

Color: Red (VF) Grey (UF)



Code	Size	Color	Grits
172.0470.360	115x230 mm	Red (VF)	360
172.0470.1500	115x230 mm	Grey (UF)	1500



PAGE 43-50

MASKING AND CAR PROTECTION



MASKING FILM WITH ADHESIVE TAPE

Masking Film with adhesive tape. Developed for quick masking of vehicles and for the protection of surfaces. With external corona treatment in order to guarantee the adhesion of the paint. Resistant up to 80° C.

Code	Size open film
182.0550	35 cm x 22,5 m
182.0551	60 cm x 22,5 m
182.0552	90 cm x 22,5 m
182.0553	120 cm x 22,5 m
182.0554	180 cm x 22,5 m
182.0556	260 cm x 22,5 m
185.3006	Knife with protected blade

TRANSMASK

Masking Film in HDPE. Solvent resistant and electrostatic. The external treated surface guarantees the adhesion of paint and over-spray. Folded sheet, roll h 50 cm with box-dispenser in order to protect from dust and overspray.



Code	Size open film
182.0141	400 cm x 120 m
185.3006	Knife with protected blade



Code
185.3360

TRANSMASK

Masking Film in HDPE, solvents resistant and electrostatic. The external treated surface guarantees the adhesion of paint and over-spray. Folded sheet, roll h 95 cm.



Code	Size open film
182.0145	400 cm x 150 m
182.0149	400 cm x 300 m
185.3006	Knife with protected blade

HY-MASK 160° C

Masking Film resistant to high temperatures up to 160° C, electrostatic and solvents resistant. Ideal for use in painting booths with infrared ray or radiant panels. The adhesion of the paint is guaranteed on both sides.



Code	Size open film
182.0156	400 cm x 100 m
185.3006	Knife with protected blade

BIG TRANSMASK

Masking Film in HDPE solvents resistant and electrostatic. The external treated surface guarantees the adhesion of paint and over-spray. Thank you to its height it is particularly suitable for big cars, SUVs, vans, commercial vehicles, Industrial car-body shop and Nautic Industry. Folded sheet, roll h 95 cm.



Code	Size open film
182.0143	520 cm x 100 m
185.3006	Knife with protected blade

**KRAFT MASKING PAPER**

Kraft paper of 40 g/m² with internal or external gloss. Havana-Brown color. Other sizes and weights available on request.

Internal gloss Code	External gloss Code	Size	Roll/Pallet
181.0200.10	181.0201.10	h. 10 cm x 200 m	972
181.0200.15	181.0201.15	h. 15 cm x 200 m	648
181.0200.30	181.0201.30	h. 30 cm x 200 m	300
181.0200.45	181.0201.45	h. 45 cm x 200 m	240
181.0200.60	181.0201.60	h. 60 cm x 200 m	100
181.0200.85	181.0201.85	h. 85 cm x 200 m	104
181.0200.100	181.0201.100	h. 100 cm x 200 m	104
181.0200.130	181.0201.130	h. 130 cm x 200 m	60

**WHITE MASKING PAPER WITH POLYETHYLENE**

Plastified paper of 42 g/m² with internal or external gloss. White color. Recommended for water based products and professional paints. Other sizes and weights available on request.

Internal gloss Code	External gloss Code	Size	Roll/Pallet
181.0150.10	181.0151.10	h. 10 cm x 150 m	972
181.0150.15	181.0151.15	h. 15 cm x 150 m	648
181.0150.30	181.0151.30	h. 30 cm x 150 m	350
181.0150.45	181.0151.45	h. 45 cm x 150 m	280
181.0150.60	181.0151.60	h. 60 cm x 150 m	100
181.0150.85	181.0151.85	h. 85 cm x 150 m	104
181.0150.100	181.0151.100	h. 100 cm x 150 m	104
181.0150.130	181.0151.130	h. 130 cm x 150 m	70

**MASKING TAPE 60°C**

Masking adhesive tape, suitable for building, industry, industrial car-body shop and repair of vehicles. Resistant up to 60° C for 60 minutes. Paper: semi-crepe. Adhesive: natural rubber.

Code	Size	Pack
184.0030	19 mm x 50 m	96 rolls
184.0031	25 mm x 50 m	72 rolls
184.0032	30 mm x 50 m	60 rolls
184.0033	38 mm x 50 m	48 rolls
184.0034	50 mm x 50 m	36 rolls

**CAR MASKING TAPE 80°C**

Masking adhesive tape for painting, resistant up to 80° C for 60 minutes. Paper: semi-crepe. Adhesive: natural rubber. Ideal for use in car-body shop.

Code	Size	Pack
184.0020	19 mm x 50 m	96 rolls
184.0022	25 mm x 50 m	72 rolls
184.0023	30 mm x 50 m	60 rolls
184.0024	38 mm x 50 m	48 rolls
184.0026	50 mm x 50 m	36 rolls
184.0027	75 mm x 50 m	24 rolls
184.0028	100 mm x 50 m	18 rolls

MASKING TAPE 130°C & WATER PAINT

High temperature adhesive tape for professional masking of internal areas. Resistant up to 130° C for 60 minutes. Excellent resistance to water-based paints. Suitable for many sectors: automotive, industry, nautic industry, buiding. When is required a masking tape with resistanance to high temperature. Paper: semi-crepe. Adhesive: natural rubber.

Code	Size	Pack
184.0051	25 mm x 50 m	36 rolls
184.0053	38 mm x 50 m	24 rolls
184.0054	50 mm x 50 m	18 rolls



BLUE MASKING TAPE - UV RESISTANT

Blue adhesive tape, UV-resistant, for professional masking in indoor and outdoor, away from water. Outside it resists for about 15 days. Suitable for a lot of sectors: automotive, industrial, nautic market, building, construction. Compatible with solvent based and water based paints. Adhesion also on irregular surfaces. Adhesive: acrylic.

Code	Size	Pack
184.0040	19 mm x 50 m	96 rolls
184.0042	25 mm x 50 m	72 rolls
184.0044	38 mm x 50 m	48 rolls
184.0046	50 mm x 50 m	36 rolls



BI-ADHESIVE TAPE

Bi-adhesive tape in PE with high adhesive power. Solvents, UV rays and high temperatures resistant. Suitable to fixing emblems and accessories inside and also outside.

Code	Size
184.0100	6 mm x 10 m
184.0101	9 mm x 10 m
184.0102	12 mm x 10 m
184.0104	19 mm x 10 m



OUTLINES TAPE

Plasticized tape made of PVC with India rubber adhesive. Specifically designed for fine lines, complex shapes and curves.

Code	Size
184.0109	3 mm x 55 m
184.0110	6 mm x 55 m
184.0111	9 mm x 55 m
184.0112	12 mm x 55 m
184.0113	19 mm x 55 m





AMERICAN TAPE

Multipurpose adhesive tape covered with a membrane of PE. Stands for resistance and elasticity. Ideal for external application.

**NEW STRONGER
ADHESIVE**

Code	Size	Pack
184.0151	50 mm x 50 m	24 rolls



PFF 1050

Adhesive expanded film for internal protection of door panels. Water, humidity and dust resistant. Good absorbency. Thickness: 2.2 mm.

Code	Size
188.1050	60 cm x 10 m

PE 1055

Repositionable adhesive film for internal protection of door panels and for blocking the broken glasses waiting replacement. Thickness: 100 my.

Code	Size
188.1055	60 cm x 10 m



TRANSFER TAPE

Contact bi-adhesive tape for sticking symbol and logo of vehicles. Thermal resistance of adhesive from -30° C up to +180° C. Temperature of application: from +15° C up to +35° C.

Code	Pack
184.0160	Pack of 10 strips 5 cm x 30 cm



PROTECTIVE ADHESIVE FILM

Adhesive film made of plastic, specifically designed for temporary protection of passage areas, workbench, balance, area near the tintometer and generally for all surfaces that you want to preserve from generic dirt and paint. Textured area non-slip. Thickness: about 150 my. The adhesive is totally removed during the time. Light grey color.

Code	Size
188.1080	60 cm x 25 m

EASY FOAM 950

No edge blending tape. An accurate and fast way to mask the structural lines and edges of the panels, does not stretch, it allows a perfect finish between old and new paint, eliminates not necessary processing steps.



Code	Size
184.0950.5	20 mm x 5 m

EASY FOAM 975 2-in-1

Single masking foam tape 2-in-1 for primer and paint. Allows to work with more speed and efficiency passing from a painting step to another without remove the masking and apply again. You can apply in internal parts of movable part of car. After applying the primer wet-on-wet, remove the narrowest part of the foam tape. At this point you can paint directly without masking again.



Code	Size
184.0975	35 mm x 30 m

EASY FOAM 980

White foam tape compact and flexible for masking the cracks of vehicles between door panel and fender. Oval profile of 13x11 mm. Pack: box-dispenser of 50 m composed with 10 rolls of 5 m.



Code	Size
184.0980	13 mm x 50 m


MAS-KING

Adhesive tape for masking of windshield, rear window and side window. Protects the seals during the painting removing the need to disassemble the glass. The product consists of an adhesive paper tape of 52 mm coupled with a strip of flexible polyester film of 12 mm, with pre-cut of 38 mm in order to facilitate the application in the curves and angles. Mas-king is resistant up to 70° C.



Code	Size
184.0960	12 mm x 10 m

SOUND INSULATORS PANELS



Adhesive Bitumen sheets excellent to isolate and insulate vehicles parts such as trunk, doors and under wheels. Available with smooth or embossed diamonds surface.

Code	Description	Size	Pack
188.1100	Embossed diamonds	500x500x2 mm	10 pcs
188.1105	Smooth		



CAR COVER

Protective car cover made of internal non-woven and external protection in PE which makes it waterproof. The product had a rubber band along the whole base with 6 fixing hooks. Available in 2 sizes, for medium and large vehicles.

Code	Size	Color
191.0102	340x520 cm	White
191.0103	380x630 cm	



PROTECTIVE SEAT COVER

Protective seat cover made of white polyethylene. Universal size to fit all cars. Can be customized with the logo of the customer.

Code	Description
192.0202	Roll h 60 cm of 50 sheets, with courtesy writer
192.0201	Roll h 70 cm of 100 sheets, with courtesy writer



PROTECTIVE WHEEL COVER

Protective wheel cover made of non-woven Tyvek, with rubber band along the whole circumference. Reusable.

Code	Size
191.0120	80x80 cm



PAGE 51-67

SPRAY PRODUCTS

BACK TO
INDEX

Fill-One

The new Fill-One machine is a pneumatic or manual filling machine for refillable pre-charged spray cans, for solvent and water based paint. Thanks to its patented Fill Cap the paint is transferred into the cans without making dirty the tanks because the cap is used instead of a normal tank. We can say that with the Fill-One you can change the colors (20 seconds for filling 1 can) without cleaning the machine. The safety during the use is due to the security front door.



FILL-ONE PNEUMATIC MACHINE

Pneumatic filling machine to be connected to a compressor. It requires a pressure of 7-9 bar/130-100 psi. Completely automatic and safe, it is activated by closing the front door. It's complete of aluminium container for the cap of spray can. Very compact: only Ø 135 mm and 385 mm height. Can be fixed on the workbench or on metal base with the articles 406.0041. Can be fixed also to the wall with the support 406.0042; this solution is perfect for have the machine at handy without taking up space.

Code	Description
406.0040	Pneumatic machine
306.0245	Fill-Cap

FILL-ONE MANUAL MACHINE

Manual filling machine to fill the pre-charged spray cans with special Fill-Cap. This machine has the same benefits of pneumatic version but it works without the need for compressed air. Practical, simple, chip, transportable, usable everywhere. Suitable for Customers who do not have the compressor and don't have a high request of spray cans with special colors.

Code	Description
406.0038	Manual machine
306.0245	Fill-Cap

WALL SUPPORT

Painted strong metal bracket to fix the Fill-One pneumatic machine to the wall. With screw of 20 mm. Size: 145x170x200 mm.

Code
406.0042



WORK BENCH SUPPORT

Painted strong metal base to support the Fill-One pneumatic machine. With rubber feet and screw of 20 mm. Size: 300x400 mm.

Code
406.0041



Complete with support



AIR PRESSURE GAUGE

With support and quick connection for the tube of compressed air. Apply near the Fill-One pneumatic machine in a place clearly visible in order to have under control the pressure of 8 bar necessary for proper and safe working.

Code
406.0043

PRE-CHARGED SOLVENT BASED SPRAY

Pre-charged spray can containing solvent and propellant DME compatible with solvent based paints prepared with the tintometer. Spray can to complete with max.100 ml of paint by dealer through the correct filling machine. With adjustable spray head and professional atomization.

Code	Description	Content	Final content
306.0190	Whit Fill-Cap for Fill-One system	300 ml	400 ml
306.0192	Whit standard cap for traditional system		
306.0188	Mini pre-charged spray can	185 ml	250 ml
306.0245	Fill-Cap For Fill-One system		
406.0040.250	Riser for mini spray can of 250 ml		



SPECIAL PRE-CHARGED SOLVENT BASED SPRAY

Pre-charged spray can with a different ratio of DME propellant gas and solvents. Can be used for solvent-based paints with different dilution compared to standard or pre-charged spray can 306.0190-306.0192. It's always recommended a preventive test.

Code	Description	Content	Final content
306.0196	Formula 1:5 - Whit standard cap for traditional system	300 ml	400 ml
306.0245	Fill-Cap For Fill-One system		



PRE-CHARGED SPRAY FOR SOLVENT BASED PAINT READY TO USE OR WATER BASED PAINT

Pre-charged spray can containing an additive and DME propellant gas compatible with solvent based paints ready to use or already diluted and with some water based paints (*). Spray can of 250 ml to complete with 100-150 ml max. of paint by dealer through the correct filling machine. CFC-free. With adjustable spray head and professional atomization.

(*) It's always recommended a preventive test.

Code	Description	Content	Final content
306.0197	Whit standard cap for traditional system	250 ml	400 ml max
306.0245	Fill-Cap For Fill-One system		



PRE-CHARGED SPRAY WITH CONVERTER FOR 2K

Pre-charged spray can containing a converter to transform the 2K paints in 1K paints with air drying. Spray can of 325 ml to complete with 75-100 ml max of 2K solvent-based paint (without hardener) by dealer through the correct filling machine. CFC-free. With adjustable spray head and professional atomization.

Code	Description	Content	Final content
306.0195	Whit standard cap for traditional system	325 ml	425 ml max
306.0245	Fill-Cap For Fill-One system		



PRE-CHARGED WATER BASED SPRAY

Pre-charged spray can with propellants and additives compatible with water-based paints of the most important producers of tintometric systems for Car Refinish. Spray can to complete with 100 ml of water based paint by distributor through the correct filling machine. CFC-free. With adjustable spray head and professional atomization. The following pre-charged spray cans have been specially formulated for water based tintometric systems. Always follow the paint manufacturer's instructions (*).

For the Fill-One System, use the Fill-Cap code: 306.0245

Brand	Paint	Sistar Code	Spray Max Code
De Beer	Serie 900 Waterbase	306.0180	750.680077
DuPont	Cromax	306.0171	750.680077
DuPont	Cromax Pro	306.0182	750.680355
Glasurit	Serie 90	306.0177	750.680077
Helios	Mobihele Hydro	306.0172	750.680075
Lechler	Hydrofan	306.0178	750.680078
Lesonal	WB	306.0178	750.961503
MaxMeyer	AquaMax	306.0173	750.680078
Mipa	WBC	306.0173	750.680075
Nexa Autocolor	Aquabase	306.0173	750.680078
Palini	Hydropal	306.0179	N.D.
PPG	Envirobase	306.0173	750.680078
RM	Onyx HD	306.0179	750.680077
Sikkens	Autowave	306.0175	750.680076
Spies Hecker	PermaHyd	306.0172	750.680075
Spies Hecker	PermaHyd Hi-Tec 480	306.0182	750.680355
Standox	StandoHyd	306.0172	750.680075
Standox	StandoBluee	306.0182	750.680355



(*) Considering the number of colors and the variables involved, it's always recommended a preventive test.



PROFESSIONAL SPRAY HEAD

Professional spray heads, with nozzles of different diameters for spraying the paint. Fixed round jet or adjustable jet in order to have a vertical or horizontal professional fan.

Code	Description	Color
306.0205	(A) Big haed with fixed round jet (f.e. Micaceos iron) 360-055-025	White/Grey
306.0206	(B) Fine head with fixed round jet 320-020-020	Black/White
306.0207	(C) Medium head with fan adjustable jet 320-030 (1 mm) - 025 FAN	Red/Black
306.0208	(D) Fine haed with fan adjustable jet 320-024 (0,6 mm) - 025 FAN	Black/Black

HANDLE SPRAY-GUN

Handle spray-gun for spray cans of 400 ml and for Preval of 94 ml. Allows better comfort during the use of spray cans and allows to do a more precise and professional work.



Code
306.0200

SPRAY-PROTECT

Underbody protective. It makes a protection against gravel and stones in underbody, side sills and repaired panels. This product can be used to renew the original paints after repairs. It may be painted.

Code	Content	Color
306.0105	400 ml	Black



FILLER

Filler for sheet metal, aluminium and old paintwork. Suitable for superficial scratches and irregularities. High covering power. CFC-free. Sandable or repaintable after 30 minutes. VOC: IIB/(e) (840) 666 g/l. With adjustable spray head and professional atomization.

Code	Content	Color
306.0120	400 ml	Beige



PRIMER AND FILLER

Primer and filler for smooth surfaces, sheet metal, aluminium and old paintwork. Repaintable directly with all kinds of paints. CFC-free. VOC: IIB/(e) (840) 695 g/l. With adjustable spray head and professional atomization.

Code	Content	Color
306.0110	400 ml	Medium grey



SPRAY PUTTY

Filler Putty with high thickness and excellent fixing power. It can be used directly on sheet metal. CFC-free. Sandable after 60 minutes. VOC: IIB/(e) (840) 640 g/l. With adjustable spray head and professional atomization.

Code	Content	Color
306.0115	400 ml	Light grey





BLACK SANDING CONTROL

Black spy spray for sanding. Apply light and homogeneous film on putty and primer before sanding in order to show not sanded areas. Compatible with all other preparation and finishing products. CFC-free. VOC: IIB/(e) (840) < 830g/L.

Code	Content	Color
306.0117	400 ml	Black



PAINT FOR BRAKES

High quality silicone paint, resistant to heat up to 300°C, for the painting and protection of cars and motorcycles brakes. High coverage, durable gloss, weather-resistant, high surface hardness. Pigments do not contain lead, cadmium and chromium. It doesn't oxidize and doesn't turn in brown color.

Code	Content	Color
306.2115	400 ml	Bright red glossy



ACRYLIC PAINT H.S.

High quality acrylic paint, high solid, for internal and external surfaces. Dry on touch in 10 minutes, completely dry in 24 hours. With special self-cleaning valve.

Code	Content	Color	Ral
306.2000.9005.O	400 ml	Black mat +- 5 Gloss	9005
306.2000.9005.S	400 ml	Black mat +- 20 Gloss	9005
306.2000.9005.L	400 ml	Black glossy	9005
306.2000.9010.O	400 ml	White mat	9010
306.2000.9010.L	400 ml	White glossy	9010
306.2000.3000	400 ml	Red fire	3000
306.2000.9006	400 ml	Aluminium	9006



NITRO-ACRYLIC PAINT FOR INDUSTRIAL VEHICLES

Professional Nitro-acrylic paint. Special product for car-repair and for painting of metal and plastic surfaces. Particularly suitable for body of trucks. High coverage and durable gloss, non yellowing. Resistant to gasoline, alcohol, scratches and weathering after complete drying. Pigments do not contain lead, cadmium and chromium.

Code	Content	Color
306.2120	400 ml	Red IC 105 Iveco
306.2121	400 ml	Grey IC 444 Iveco

1K CLEAR COAT

1K high gloss clearcoat (more than 90% gloss). It can be applied on all types of paints and enamels except those synthetic. UV rays resistant. CFC-free. VOC: IIB/(e) (840) 730 g/L. With adjustable spray head and professional atomization.

Code	Content
306.0130	400 ml



2K CLEAR COAT

2K high gloss clearcoat (more than 90% gloss). It can be applied on all types of paints and enamels except those synthetic. UV rays resistant. Spray can with catalyst inside to activate during the use. The paint must be used within 24 hours from activation of the catalyst. CFC-free. VOC: IIB/ (e) (840) < 830 g/L. With adjustable spray head and professional atomization.

Code	Content
306.0133	250 ml



FLASH BLENDER

Universal blender for transparent or non-transparent finishes, 1K or 2K. It is not a normal thinner for shades. The special formulation harmonises the transition zones, creating an extremely uniform passage between new and old paint. Reduces the need of polishing. Ideal for Spot-Repair. CFC-free. VOC: IIB/(e) (840) < 800 g/L. With adjustable spray head and professional atomization.

Code	Content
306.0160	400 ml



ALUMINIUM PAINT FOR WHEELS

Professional nitro-acrylic paint. Special for wheels. Suitable for renew, beautify, protect from dirt and utilization wheels, rims, wheels covers of car, motorcycle and bicycle. High coverage, non-yellowing, alcohol resistant after 72 hours from application, scratches resistant after 4 days from application, gasoline resistant after 7 days from application. Weathering resistant. Rapid drying, 15-25 minutes, dry on touch. Pigments do not contain lead, cadmium and chromium.

Code	Content	Color
306.2100.690	400 ml	Wheels aluminium F690





HIGH TEMPERATURE PAINT + 600°C

Silicone resins based paint resistant up to 600°C. High coverage, non-yellowing, lead-free. It allows quick and quality painting of engines, mufflers, exhaust pipes, etc.. Rapid drying: dry on touch in 10-12 minutes, completely dry in 24 hours at 20° C. CFC-free.

Code	Content	Color
306.2085.NO	400 ml	Black mat
306.2085.AL	400 ml	Aluminium



PLASTIC PAINT

It allows fast and high-quality painting also of large surfaces. Formulated with high content of pigments to maximize the speed, the application and the coverage. Can be used directly on plastic. Rapid drying. CFC-free. VOC: IIB / (s) (840) < 682 g/L. With adjustable spray head and professional atomization.

Code	Content	Color
306.0140	400 ml	Dark grey
306.0142	400 ml	Black



SPRAY PLASTIC TEXTURE

It allows to reconstruct the structure of damaged plastic surfaces. Suitable for finishing of plastic parts of car-body for external parts such as: mirrors, bumpers, finishes, tuning parts. CFC-free. VOC: IIB / (s) (840) < 616 g/L.

Code	Content	Color
306.0151	400 ml	Transparent



SPRAY-PLAST

Textured paint for plastic parts. It allows fast and high-quality painting also of large surfaces. Formulated with high content of pigments to maximize the speed, the application and the coverage. Usable directly on plastic parts. Rapid drying. CFC-free. With adjustable spray head and professional atomization.

Code	Content	Color
306.0152	400 ml	Black
306.0153	400 ml	Dark grey

UNIVERSAL MULTIFUNCTIONAL LUBRICANT

Universal multifunctional synthetic lubricant for all moving parts. Penetrating and unlocking for nuts, bolts, gears and mechanisms blocked by rust. Protects and inhibits corrosion of the treated parts. Excellent adhesion to metal. Water-resistant and durable even in extreme conditions.

Code	Content
306.0509	400 ml



UNLOCK & UNSCREW UNBLOCKING

Penetrating synthetic spray with a high solvent and releasing power. It facilitates the releasing process of nuts, bolts, joints, threads, hinges and all other mechanical parts affected by rust and oxidation. It also leaves a lasting water-proof and water repellent protective film.

Code	Content
306.0511	400 ml



NAUTICAL WHITE LITHIUM GREASE

White lithium and titanium grease, highly waterproof, specifically for the marine industry and for all uses in contact with water. Ideal for lubricating gears of marine engines, mechanical parts of motor boats and sailing, fishing and diving equipment, couplings, joints, pins, transmissions, hinges, etc. Not melts, stable for long time, acts perfectly at temperatures from -20°C up to +120°C. Resistant to corrosion of salt and sweet water and to the action of weathering elements.

Code	Content
306.0513	400 ml



MULTIPURPOSE GREASE LUBRICANT

A compound of high quality saponified greases. Grease with a wide spectrum of uses, good chemical stability, water repellent and adhesive. Protects against water and is perfectly stable and resistant in brine and dirty atmospheres. Resists to acid and basic solution and atmospheric corrosion. Ideal for lubricating bearings, bushes, hubs kingpins, guides and for all use with motor vehicles, farming and industrial machinery.

Code	Content
306.0514	400 ml





SILICONE BASED OIL

Pure silicone based oil solution with anti-adhesive qualities which owing to its separating and lubricating properties, can be used on a variety of materials. Non-greasy, it gives a good water repellency on treated materials preventing the accumulation of electrostatic charges. It is effective as polishing and protective on plastic parts. Maintains the elastic seals and free from cracks increasing tightness and durability.

Code	Content
306.0516	400 ml



VASELINE OIL

Vaseline oil with high degree of purity, specially designed for applications that require periodic maintenance and lubrication without grease stain. Suitable for lubricating machinery, equipment and delicate gear. Its special formula also acts as a lasting protective power. Doesn't contain solvents and does not damage rubber and plastic. Odorless and colorless.

Code	Content
306.0517	400 ml



ELECTRICAL AND ELECTRONIC CONTACT CLEANER

Specifically designed for deep cleaning of electrical, electronic and electromagnetic contacts. Immediately removes moisture, dirt, grease and oxidation leaving the surface perfectly clean and degreased. Avoid use on delicate materials and on surface can attacked from solvents.

Code	Content
306.0520	400 ml



UNIVERSAL NEOPRENE GLUE

Permanent contact neoprene adhesive, very tenacious, particularly suited for bonding rubber, vinyl and synthetic materials, plastics, cloth, felt, leather, wood, paper, cardboard, laminates, glass, ceramics, metal. Spray an adequate amount on both surfaces to be bonded, wait for evaporation of solvent then join the parts using heavy pressure.

Code	Content
306.0522	400 ml

STICKERS AND GLUE REMOVER

Solution solvents and synthetic polymers based with rapid action in the melt glues and a lot of kinds of adhesives. If the solution is sprayed in vertical position does not drip. The adhesive label or glued part comes off in a few minutes. On labels with film, in order to reduce waiting times, eliminate the plastic film.

Code	Content
306.0524	200 ml



HIGH PRESSURE DUST CLEANER

High pressure Dust Cleaner is made of compressed flammable gas. Immediately removes all dust from inaccessible areas and delicate mechanisms such as watches, computers, keyboards, electrical and electronic equipment, lenses and photographic lenses, precision mechanics, miniature gears, modeling, etc. Do not use on electrical equipment on or energized.

Code	Content
306.0527	400 ml



ALL CLEAN TOP

Universal foam Cleaner to remove quickly all kinds of dirt from painted surfaces, windshield, headlights, crystals, metal parts, plastic parts both in the automotive market and for private use. Also suitable for ceramic, tiles, glass and washable surfaces of all types. Does not contain abrasive substances, does not leave streaks and does not drip.

Code	Content
306.0500	500 ml



PREVAL SPRAY GUN

The "portable spray gun." It's ideal to spray paint already diluted and many other liquid products in any place, free from compressed air and electricity. It's enough to put the painting products in the glass container, screw the spray can and spray, following the instructions for use. The Complete Kit consists of 1 glass container of 170 ml, 1 propellant gas cartridge of 94 ml with tube and 1 screw cap.

Code	Description
306.1215	Complete Kit
306.1216	Glass container of 170 ml with screw cap
306.1217	Propellant gas cartridge of 94 ml+Tube





HIGH QUALITY ACRYLIC PAINT H.S.

High quality acrylic paint, high solids, to decorate and protect internal and external surfaces. Dry on touch in 10 minutes, completely dry in 24 hours. Repaintable in any time. With special self-cleaning valve. Suitable for surfaces and objects made of metal, aluminium, wood, wicker, glass, cardboard, stone, terracotta and some types of plastic (ABS and PVC). Not suitable for polystyrene surfaces.

Code	Content
306.2000	400 ml



DISPLAY FOR SISTAR SPRAY LINE

Display of new concept and elegant design. Made of white laminated wood, with 4 swivel wheels to move it easily. With 6 shelves to expose 42 different articles (3 shelves of 7x4 cm + 3 shelves of 7x5 cm). It can accommodate up to 189 spray cans. With 2 side pockets for brochures.

Code	Size
406.0100	L54 x P36 x H190 cm



HIGH QUALITY ACRYLIC CLEAR COAT H.S.

High quality acrylic paint, high solids, to decorate and protect internal and external surfaces. Dry on touch in 10 minutes, completely dry in 24 hours. Repaintable in any time. With special self-cleaning valve. Suitable for surfaces and objects made of metal, aluminium, wood, wicker, glass, cardboard, stone, terracotta and some types of plastic (ABS and PVC). Not suitable for polystyrene surfaces.

Code	Color	Content
306.2001.LU	Transparent glossy	400 ml
306.2001.OP	Transparent mat	400 ml

TABLE RAL COLORS



RAL 1003
Signal yellow



RAL 1007
Daffodil yellow



RAL 1013
Oyster white



RAL 1015
Light ivory



RAL 1018
Zinc yellow



RAL 1021
Rape yellow



RAL 1023
Traffic yellow



RAL 1033
Dahlia yellow



RAL 2000
Yellow orange



RAL 2002
Vermilion



RAL 2004
Pure orange



RAL 2008
Bright red orange



RAL 2009
Traffic orange



RAL 3000
Flame red



RAL 3001
Signal red



RAL 3002
Carmine red



RAL 3003
Ruby red



RAL 3020
Traffic red



RAL 5002
Ultramarine blue



RAL 5003
Sapphire blue



RAL 5009
Azure blue



RAL 5010
Gentian blue



RAL 5012
Light blue



RAL 5013
Cobalt blue



RAL 5015
Sky blue



RAL 5017
Traffic blue



RAL 5018
Turquoise blue



RAL 6001
Emerald green



RAL 6002
Leaf green



RAL 6005
Moss green



RAL 6011
Reseda green



RAL 6018
Yellow green



RAL 6021
Pale green



RAL 6029
Mint green




RAL 7000
Squirrel grey



RAL 7001
Silver grey



RAL 7016
Anthracite grey



RAL 7021
Black grey



RAL 7021
Black grey semi-matt 25 gloss



RAL 7030
Stone grey



RAL 7031
Blue grey



RAL 7032
Pebble grey



RAL 7035
Light grey



RAL 7038
Agate grey




RAL 7040
Window grey




RAL 7042
Traffic grey A



RAL 7044
Silk grey



RAL 8011
Nut brown



RAL 8014
Sepia brown



RAL 8017
Chocolate brown



RAL 9001
Cream



RAL 9002
Grey white



RAL 9003
Signal white



RAL 9005
Jet black



RAL 9005
Jet black matt 5 gloss



RAL 9005
jet black semi-matt 25 gloss



RAL 9006
White aluminium



RAL 9007
Grey aluminium



RAL 9010
Pure white



RAL 9010
Pure white matt



RAL 9016
Traffic white

The colors are obtained by printing process and therefore only indicative. For RAL colors refer to the specific folder. Other colors available on request.



ANTI-RUSTY FILLER

Acrylic anti-rusty filler for internal and external areas. Suitable for protection of all surfaces subject to corrosion. Zinc-based filler, high-coverage, non-yellowing. Applicable directly on rust, weathering resistant, good corrosion power. Rapid drying: 15-25 minutes, dry on touch.

Code	Content	Color
306.2010.GR	400 ml	Grey



RUST CONVERTER

Rust converter, it can transform with chemical reaction the rust into an inert compound overpaintable and stops the formation of rust, eliminates the operation of cleaning of rust from surfaces. It has the same anti-corrosion properties of conventional anti-rust. Apply directly over rust. Overpaintable with spray paints after 24-30 hours minimum and within 48 hours without sanding.

Code	Content	Color
306.2012	400 ml	Amber, black after chemical reaction



PURE ZINC 99,5%

Professional Zinc paint for internal and external areas made with pure zinc powder and phosphate of zinc. For the protection of all surfaces from the corrosion. Suitable for tanks, pylons, railings, etc. Suitable even after operations of threading, cutting or soldering to restore the resistance at the corrosion. High covering, non-yellowing, applicable directly on rust, atmospheric agents resistant, high anti-corrosive power. Rapid drying: 15-25 minutes, dry on touch.

Code	Content	Color
306.2015	400 ml	Grey



TRANSPARENT ANTI-RUSTY

Anti-rusty Transparent Paint for internal and external areas. Suitable for the protection of metallic surfaces and objects from corrosion, ageing and oxidation. Formulated with Phosphate of Zinc and inhibitors of rust. Non-yellowing, atmospheric agents resistant. Rapid drying: 15-25 minutes, dry on touch.



Code	Content	Color
306.2020	400 ml	Transparent glossy/Transparent matt

PLASTIC & METAL PRIMER

Acrylic primer for internal and external areas. Adhesion Primer for all types of plastic. Made of acrylic resins and special additives for adhesion. Suitable even for steel, aluminium, brass, copper and bronze surfaces. It can improve the adhesion of finishing paints. It's elastic. Rapid drying: 15-25 minutes, dry on touch.

Code	Content	Color
306.2025	400 ml	Transparent



BLOT-COVER PAINT

Blot-cover acrylic paint. Formulated to cover different types of blot. Suitable for nicotine, soot, oil, tomato sauce, wine, vinegar, tea, coffee, lipstick, pastels, pencil, water and solvent based felt-tips. Usable as finishing product to renew and refresh panels and ceilings made of plasterboard. High covering, non-yellowing. Washable after 72 hours from the application with domestic detergents. Rapid drying: 15-20 minutes, dry on touch. The pigments are free from lead, cadmium and chromium.

Code	Content	Color
306.2030	400 ml	White mat



FLUORESCENT PAINT

Pure acrylic paint for internal and external areas, fluorescent effect. For decoration and protection of all surfaces and objects that need visibility even at distance or with low brightness. High visibility up to 150 m, non-yellowing, UV and atmospheric agents resistant. Rapid drying: 15-25 minutes, dry on touch. The pigments are free from lead, cadmium and chromium.



Code	Content	Color
306.2032	400 ml	Yellow/Green/Red/Fuchsia



PHOSPHORESCENT PAINT

Paint highly phosphorescent and visible in the dark. Suitable for all supports and sites with low brightness and visibility (steps, switches, signalings, etc.) Suitable even for particular domestic decorations and for bikes, moto, scooter, cars. High covering, high visibility at darkness, it can recharge autonomy with safety special light. Rapid drying: 15-25 minutes, dry on touch. The pigments are free from lead, cadmium and chromium.

Code	Content	Color
306.2034.G	400 ml	Yellow phosphorescent





PAINT WITH MAGNETIC PIGMENTS

Pure acrylic paint with special magnetic pigments. Suitable to obtain magnetic surfaces. Usable on wood, walls, plasterboard and PVC surfaces opportunely treated. Usable to fix with magnets the shopping list, photos, poster, drawing, etc. High covering, high magnetic power. Overpaintable with any solvent based paint or water based paint after 24 hours. Rapid drying: 20-30 minutes, dry on touch. The pigments are free from lead, cadmium and chromium.

Code	Content	Color
306.2036	400 ml	Grey



BLACKBOARD PAINT


Acrylic paint for blackboard. It changes walls, doors and a lot of surfaces into blackboards. It revives scholastic and domestic blackboards. Suitable even for metallic surfaces, wood, cement, plasterboard opportunely treated. High covering, non-yellowing, anti-rubbing. Possible to write on after 48 hours from the application. Cleaning with dry or damp cloth without leave marks. Washable with not abrasive detergents after 48 hours from the application. UV resistant. Rapid drying: 15-25 minutes, dry on touch. The pigments are free from lead, cadmium and chromium.

Code	Content	Color
306.2038	400 ml	Black mat



OLD IRON PAINT

Acrylic paint with highly decorative effects, such as sandblaster iron. Indicated for all metal surfaces, without need of anti-rust, for wood and plastic.



Code	Content	Color
306.2050	400 ml	Grey Silver/Grey graphite/Black



METALLIC PAINT

Pure acrylic paint for internal and external areas with metallic effect. Suitable for decoration and protection of all surfaces and objects. It contains fine metallic pigments. High covering, non-yellowing, UV and atmospheric agents resistant. Rapid drying: 15-25 minutes, dry on touch. The pigments are free from lead, cadmium and chromium.



Code	Content	Color
306.2060	400 ml	Silver/Black/Violet/Green/Blue

“LEAFING” METALLIC PAINT

Metallic paint for decoration and protection of all surfaces and objects to give them chromium plated precious look. Usable on brass, stone, earthenware, aluminium, copper, bronze, wood, etc. High covering, non-yellowing, specific for interior areas. Rapid drying: 15-25 minutes, dry on touch. The pigments are free from lead, cadmium and chromium.



Code	Content	Color
306.2070	400 ml	Silver/Modern gold/Old gold
306.2071		Chrome gold/Chrome silver



PAINT FOR DOMESTIC APPLIANCES

High quality and durability acrylic paint. Specific for domestic appliances, washing machines, refrigerators, dishwashers, microwave ovens, etc. High covering, non-yellowing, washable and scratch resistant after completely drying. The pigments are free from lead, cadmium and chromium.

Code	Content	Color
306.2078	400 ml	White



MEDIUM TEMPERATURE PAINT + 120°C

Is a paint made of modified silicone based resins, resisting heat up to 120°C. Non-yellowing, comes off, nor cracks. Dries quickly. Indicated for radiators, stove pipes, electric convectors, etc.



Code	Content	Color
306.2080	400 ml	Brown/Cream/Ivory/Aluminium/White



CAR & MOTORBYKE CLEAR COAT

Nitro-acrylic transparent paint for cars and motorbike. Suitable for body of painted cars, motorbike and bike. Non-yellowing, alcohol resistant after 72 hours from the application, scratch resistant after 4 days from the application, gasoline resistant after 7 days from the application, atmospheric agents resistant. Rapid drying: 15-25 minutes, dry on touch.

Code	Content	Color
306.2110	400 ml	Transparent





PAGE 68-73

CHEMICAL PRODUCTS

BACK TO
INDEX

**U-SEAL 500**

1K Polyurethane adhesive sealant, fast, multi-functional and extremely versatile. Ideal for any need of sealing and elastic bonding in building industry, in windows market, in transport sector and industry. Suitable for building materials also porous, for acoustic and insulating panels, for frames of doors and windows made of wood and aluminium, metal and plastic components, glass, cement. Saus of 600 ml available on request.

Code	Pack	Color
304.0500.B	Aluminium cartridge 310 ml	White
304.0500.GR	Aluminium cartridge 310 ml	Grey
304.0500.N	Aluminium cartridge 310 ml	Black
304.0521.1	Conical nozzle for cartridge	

**U-SEAL 501**

1K Polyurethane adhesive sealant with fast hardening, permanently elastic; can be brushed and smoothed after the application. Ideal for sealing and bonding of the substrates inside the body of car. Overpaintable after 45-60 minutes with the most important paints of Car-Refinish and Industry.

Code	Pack	Color
304.0501.B	Aluminium cartridge 310 ml	White
304.0501.GR	Aluminium cartridge 310 ml	Grey
304.0501.N	Aluminium cartridge 310 ml	Black
304.0521.1	Conical nozzle for cartridge	

**U-SEAL 201 FAST**

1K elastic polyurethane structural adhesive. Ideal for bonding of windscreens and crystals of vehicles (< 35 kg). With fast hardening and high performance, has been specially developed to achieve safe and quick Drive Away Time in 2-4 hours on vehicles with airbags. Subjected to "crash test" in accordance with standard USA FMVSS 208/212 - TÜV Certified. On glass is necessary apply U-Primer 130.

Code	Pack	Color
304.0510	Aluminium cartridge 310 ml	Black
304.0522.1	Truncated conical nozzle with V cut	

**KIT BONDING GLASSES**

Kit for bonding of glass and windscreens (< 35 kg) Drive Away Time in 2-4 hours on vehicles with airbags. Subjected to "crash test" in accordance with USA FMVSS 208/212 - TÜV Certified. The kit contains 2 cartridges of 1K polyurethane structural adhesive U-SEAL 201 FAST black, 1 bottle of 30 ml of U-Primer 130 and 2 application tampons.

Code
304.0510.KIT

U-PRIMER 130

Adhesion promoter specifically formulated for glass of vehicles. It makes a barrier against harmful UV rays, guarantees the complete protection of the under adhesive. Ideal for elastic structural adhesives such as U-Seal (in particular 201, 205 and 207) and SiMP-Seal. Ideal also for application on metal and plastic parts. Also great for spray applications.

Code	Pack	Color
304.0515	Aluminium bottle 30 ml	Black
304.0515.250	Aluminium bottle 250 ml	Black
304.0520.100	Application tampon	



BODY-STAR™

Underbody protection, sound insulator, re-paintable, made of resins and gel. Anti-scratch and anti-corrosion. Application by sprayer and re-paintable after only 30-40 minutes.

Code	Pack	Color
304.0315.B	1,0 Kg	White
304.0315.GR	1,0 Kg	Grey
304.0315.N	1,0 Kg	Black



CARBON-LINE PUTTY

2K Polyester transparent Putty, specific for details in carbon fiber. Thanks to its properties can be used universally such as filling or shaving putty. Excellent adhesion on carbon. Easy application with high-capacity of filling, pore-free. Very well sanded. UV-resistant and non-yellowing.

Code	Pack	Pcs
320.0100.1	0,600 Kg (with hardener)	12



CARBON-LINE FILLER

2K Polyester transparent Filler, for specific details in carbon fiber. It is used to fill irregular surfaces more or less deep. Excellent adhesion on carbon. Excellent adhesion on polyester putty and fiberglass GRP parts. Very fast drying and surface free from pinholes. Easy to sand. UV-resistant and non-yellowing.

Code	Pack	Pcs
320.0150.08	0,820 Kg (with hardener)	6
320.0151.1	1,0 L Thinner	6





MULTI-STAR - Polyester Multifunctional Putty

2K Polyester Multifunctional Putty which combines the excellent filling capacity to the quality of surface finishing, smooth and without pores due to its composition very fine and homogeneous. Specific for supports in aluminium, galvanized, steel, polyester laminates and fiberglass GPR. You can apply in both thick and thin layers. Flexible.

Code	Pack	Color
321.1001.1	1,800 Kg (with hardener)	Yellow-Beige
321.1001.02	0,250 Kg (with hardener)	Yellow-Beige



LIGHT-STAR - Universal Polyester Putty

2K Universal Polyester Putty with low specific weight containing micro-granules of glass that make it lighter 35% compared to traditional putty. Extremely easy to sand even after 2-3 days of application. Particularly suitable for large surfaces in market of cars, buses, trucks and commercial vehicles, but also in the nautical above the waterline.

Code	Pack	Color
321.1005.1	1,0 L (with hardener)	Yellow-Beige



ALSO FOR
CARBON FIBER

PLASTIC-STAR Polyester Putty for Plastics & Carbon Fiber

2K Polyester special Putty for plastic and carbon fiber, very flexible, with excellent adhesion properties, specially formulated for repairing damage of bumpers, side skirts and plastic parts in general. Soft and easy to sand, does not clog the abrasive.

Code	Pack	Color
321.1010.02	0,250 Kg (with hardener)	Dark grey



ALU-STAR - Polyester Putty with Aluminium

2K Polyester fine Putty, very durable and flexible, containing aluminium pigments. Thanks to its properties of resistance to high temperatures and mechanical stress, is ideal for repair and reinforce damaged steel and aluminium surfaces. It is not necessary to use additional finishing putty.

Code	Pack	Color
321.1006.1	1,800 Kg (with hardener)	Light grey

NO-DUST LONG TIME

Concentrated dust collector to spray on the floor of the spray booths and adjacent areas. Keep on ground the particles of dust and overspray. Walkable after approx 5 minutes and remains active up to 5 days, depending on the dilution.

Code	Pack
310.5105	5,0 L
310.5105.25	25 L
133.1500	Sprayer



SKIN-UP S

Peelable solvent-based paint. The plastic and elastic film protects every surface and is easy to remove. Walkable after about 1 hour. Applicable by spray, roll or brush.

Code	Pack	Color
310.1001	5,0 L	White



TACKY PROTECTION

Sticky adhesive liquid to protect the walls of the spray booths in order to keep and retain the particles of dust and overspray. It is eliminated easy with water when it has finished its adhesive function. For a fast and easy replacement, apply it on masking film previously laid out to protect the walls of the cabin.

Code	Pack	Color
310.5110	5,0 L	Transparent



FIBERGLASS REPAIR KIT

Kit for rapid repair of fiberglass, metal, plastic, car-body and industrial vehicles, boats, garden furniture and many other applications. Excellent adhesion to steel surfaces. Catalyze 2-3% maximum. Workable within 5-10 minutes at 20° C. Drying time: 20 minutes outside dust, 30 minutes on touch. Dry sandable with abrasive P80-P120.

Code	Pack
321.1020.02	Kit 0,250 Kg resin (with hardener) + 0,25 mq fiberglass





URKI PLAST

Flexible acrylic paint, specially formulated for painting of bumpers of vehicles and side bands. It has a satin textured look similar to the original. Pintable after 4 hours with acrylic paint with one or two layers.

Code	Pack	Color
314.0350	1,0 L	Black
314.0352	1,0 L	Dark grey



URKI-PT

Renewing solvent based paint for synthetic materials and plastic parts. Used to treat bumpers, side bands, mirrors, masks, wings, internal trim, special rubber, synthetic tissue, vinyl roof, trunks of motorcycles, scooters and many other uses in different sectors. Packing with sponge for applying the product. Does not make a film and does not stripping during the time.


Code	Pack	Color
314.0300	Tube of 75 ml	Black
314.0302	Tube of 75 ml	Grey



CHROMALUX MARINE

Extra-mordant universal abrasive paste, specially formulated for car- body, nautic market and industry. Usable to remove sanding marks, to renew damaged surfaces and to remove the imperfections on many types of surfaces, such as new dried paint, hardened old paint, old and new gel coat. It is not water-soluble. Use only with polishing machine with speed variator, with hard and medium tampons or wool bonnet according with the surface.

Code	Pack	Color
340.0512.4	4,30 Kg / 2,5 L	White



AERCAP

Quick immersion cleaner for spray-guns and all equipment soiled with paint such as the balance, the lids of the mixing machine, etc. .. Not contains acids, does not ruin the chrome parts and does not damage the plastics. It can be used with its small washing basket 133.0090.

Code	Pack
307.0010	6,5 Kg
307.0011	30,0 Kg
133.0090	Bucket and basket



PAGE 74-84

EQUIPMENT

BACK TO
INDEX



ORBITAL SANDER

Pneumatic orbital sander with mechanical suction of sanding dust. Orbit of 5.0 or 2.5 mm for fine grains. With speed controller. Use with pads Ø 150 mm with thread 5/16" with direct or ducted suction. The version with orbit of 5.0 mm is also usable as polishing machine to remove halos applying the soft polishing pad and microfiber bonnet.

Code	Description
471.0836	Orbit 2,5 mm
471.0856	Orbit 5,0 mm



ORBITAL SANDER

Pneumatic orbital sander, very powerful (0.29 HP) and strong for an intensive use. Available with or without mechanical suction of sanding dust. Orbit of 5.0 mm. With speed controller. Use with pads Ø 150 mm with thread 5/16" without holes or with holes for direct or ducted suction. Weight: 890 g. It is also used as a polishing machine to remove the halos applying the soft polishing pad and microfiber bonnet.

Code	Description
471.0870	Orbit 5,0 mm without suction
471.0872	Orbit 5,0 mm with suction



MINI ORBITAL SANDER

Pneumatic mini-orbital sander without suction of sanding dust. Orbit of 5.0 mm or 2.5 mm for fine grains. With speed controller. Use with mini-pads Ø 76 mm, thread 5/16".

Code	Description
471.0840	Orbit 2,5 mm
471.0842	Orbit 5,0 mm

MINI ORBITAL SANDER - ANGULAR



Pneumatic mini angular orbital sander without suction of sanding dust. Orbit of 1.5 mm. Use with micro-pads Ø 30 mm, thread M10, velcro or adhesive connection. With speed controller and digital display on the handle. Weight: 650 g.

Code
471.0860

ERASER

Pneumatic tool designed to eliminate any adhesive and signs without damaging painted surfaces or plastic parts. Use with rubber wheel code 176.0500. Thread 5/16". With speed controller, max. 2,600 rev/min.



Code

471.0875

ORBITAL POLISHING MACHINE - DOUBLE HANDLE

Pneumatic orbital polishing machine, double handle, very powerful (0.35 HP) and strong. Orbit of 14.0 mm. Use with pads Ø 75 mm, thread 5/16". With speed controller and digital display on the handle.



Code

471.0865

ORBITAL SANDER AND POLISHING MACHINE - DOUBLE HANDLE

Pneumatic orbital sander and polishing machine, double handle. Without suction. Orbit of 10 mm. With speed controller. Use with pads Ø 125 mm, thread 5/16".



Code

471.0830

SPRAYSEAL 300

Pneumatic professional gun for spraying and extrusion of 1K sealants (MS-Polymer type spray-Simp) in standard plastic cartridge of 290/310 ml. Thanks to the included accessories, to the different possibility of adjustment of the product and to the pulverization of material, it's possible to get more or less "orange peel" surfaces. Working pressure: 3-5 bar, max. 8 bar. Air Consumption: 200-300 L/min.

Code

468.0130**PNEUSEAL 400**

Pneumatic professional gun for extrusion of 1K sealants with medium viscosity in cartridge of 290/310 ml and saus of 300 ml and 400 ml. With controller of air pressure and various accessories. Working pressure: 4-8 bar, max. 10 bar. Push power: 160 kgf (8 bar). Length of aluminium tube: 270 mm. Weight: 1.125 Kg. PNEUSEAL 600 for saus of 600 ml is available on request.

Code

468.0115**PNEUSEAL 300**

Pneumatic professional gun for extrusion of silicones and 1K sealants with medium viscosity in cartridge of 290/310 ml. Body of gun is made of brass, tube and rings is made of aluminium. Thanks to the self-discharging valve, the extrusion stops automatically when the control lever is released. Working pressure: 4-8 bar, max. 10 bar. Push power: 160 Kgf (8 bar). Weight: 0,850 kg

Code

468.0110**MANUSEAL 400**

Manual professional gun made of metal with tube and rings made of aluminium; for extrusion of 1K sealants with high viscosity in cartridge of 290/310 ml and saus of 300 ml and 400 ml. Handle rubber coated for no-slide. Push power: 300 kgf. Push bar: hardened steel. Clutch: calibrated hardened steel. Weight: 1,010 kg.

Code

468.0156

MANUSEAL 300

Manual professional gun completely made of metal for extrusion of 1K sealants with medium-high viscosity in cartridge of 290/310 ml. Push power: 250 kgf. Push bar: hardened steel. Clutch: calibrated hardened steel. Weight: 0,850 kg.



Code
468.0153

MANUSEAL 290

Manual gun made of metal for extrusion of 1K silicones and sealants with low viscosity in cartridge of 290/310 ml. Push power: 120 kgf. Push bar: hardened steel with hexagonal section. Weight: 0.520 Kg.



Code
468.0150

ACCUSEAL 300/400/600

Cordless professional gun with battery for extrusion of 1K sealants with medium-high viscosity in cartridges of 290/310 ml and saus of 400 ml and 600 ml. Battery: Rechargeable made of Lithium-ion (Li-ion) 7.4 V - 1.3 A. Push power: 300 kgf. With system to prevent dripping of the product after work. With speed controller for better control of supply (Speed 6.9 mm/sec). Safety lever to prevent accidental activation of the gun. LED light on the handle to work in areas of poor lighting. Weight: 1,250 / 1,400 Kg. Plastic case with charger.



Code	Description
468.0120	ACCUSEAL 300 for cartridge of 290/310 ml
468.0123	ACCUSEAL 400 for cartridge of 290/310 ml and saus of 400 ml - on request
468.0125	ACCUSEAL 600 and saus of 600 ml - on request
468.0129	Replacement battery for accessories



PNEUBODY 100

Professional pneumatic gun for application and spraying of underbody protective, anti-rust, soundproofing and waxes, both solvent-based that water-based. Thanks to the pressure of tank, the gun can use products with or without standard cans of 1 Kg/L. Working pressure: 2-4 bar, max. 8 bar. Air consumption: 200-300 L/min.

Code
468.0100



KIT PNEUBODY 100

Kit with 3 extensions for underpressure pneumatic gun Pneubody 100. The Kit allows the application of soundproofing, body and protective waxes in areas hard to access. Tube size: 1500 mm x Ø 6 mm.

Code
468.0101



PNEUBODY 90

Professional pneumatic gun with adjustable nozzle for application and spraying of underbody protective, anti-rust, soundproofing and waxes. It can connect directly to the can of 1 or 2 kg/L with special thread 42x3. Working pressure: 3-6 bar, max. 8 bar. Air consumption: 200-300 L/min.

Code	Description
468.0090	Pneubody 90
468.0091	Extension for molded case 500 mm x Ø 10 mm



PNEUBODY 80

Professional pneumatic gun with adjustable nozzle for application of underbody protective, anti-rust, soundproofing and waxes. It can connect directly to the can of 1 or 2 kg/L with special thread 42x3. With extension for molded case.

Code
468.0080

G-2005 HVLP

Gravity spray gun with HVLP technology. Designed for quality painting in car-body shop with solvent-based or water-based paints. Head, nozzle and needle are made of stainless steel with extreme precision in order to obtain an excellent atomization. Available with nozzle Ø 1.4 mm for paint and clear coat and with nozzle Ø 1.8 mm for primer.

Code	Description
440.0020.Ø	Nozzle Ø 1,4 mm o Ø 1,8 mm
130.80212	Adapter for Kind-Box Painting System
440.0021.Ø	Complete Kit (cap, needle, nozzle)
440.0021.600	Nylon cup 600 ml

**GRAVITY SPRAY GUN WITH NYLON CUP**

Gravity spray-gun designed for painting of all supports in a lot of sectors: industry, engineering, wood, carpentry, metal, building, industrial car-body shop. The body is made of nickel plated brass, the nozzle is made of brass and the needle is made of stainless steel. With nylon cup of 500 ml. Nozzles: Ø 1,2-1,4-1,5-1,6-1,7-1,8-1,9-2,0-2,2-2,5-3,0 mm.

Code	Description
440.0050.Ø	Nozzle from Ø 1,2 mm to Ø 3,0 mm
440.0055.Ø	Complete Kit (cap, needle, nozzle)

**GRAVITY SPRAY GUN WITH ALUMINIUM CUP**

Gravity spray-gun designed for painting of all supports in a lot of sectors: industry, engineering, wood, carpentry, metal, building, industrial car-body shop. The body is made of nickel plated brass, the nozzle is made of brass and the needle is made of stainless steel. With aluminium cup of 500 ml. Nozzles: Ø 1,2-1,4-1,5-1,6-1,7-1,8-1,9-2,0-2,2-2,5-3,0 mm.

Code	Description
440.0052.Ø	Nozzle from Ø 1,2 mm to Ø 3,0 mm
440.0055.Ø	Complete Kit (cap, needle, nozzle)

**SUCTION SPRAY GUN**

Suction spray gun designed for painting of all supports in a lot of sectors: industry, engineering, wood, carpentry, metal, building, industrial car-body shop. The body is made of nickel plated brass, the nozzle is made of brass and the needle is made of stainless steel. With aluminium tank of 1 L with nylon cap and bayonet connection. Nozzles: Ø 1,2-1,4-1,5-1,6-1,7-1,8-1,9-2,0-2,2-2,5-3,0 mm.

Code	Description
440.0054.Ø	Nozzle from Ø 1,2 mm to Ø 3,0 mm
440.0055.Ø	Complete Kit (cap, needle, nozzle)





PROFESSIONAL MINI SPRAY GUN

Professional mini gravity spray gun with HVLP technology. Designed for quality touch-up and spot-repair in car-body shop with solvent-based and water-based paints. Nozzle and needle are made of stainless steel. Nozzles Ø 0,5 - 0,8 - 1,0 mm.

Code	Description
440.0056.0	Nozzle Ø 0,5 - 0,8 - 1,0 mm
440.0057.0	Complete Kit (cap, needle, nozzle)



MINI SPRAY GUN

Mini gravity spray gun. Designed for small painting in car-body shop, design on glass, ceramics, etc. Nozzle and needle are made of stainless steel. Nozzles Ø 0,5 - 0,8 - 1,0 mm.

Code	Description
440.0058.0	Nozzle Ø 0,5 - 0,8 - 1,0 mm
440.0059.0	Complete Kit (cap, needle, nozzle)



DIGITAL PRESSURE GAUGE

Strong and accurate digital pressure gauge for application to spray guns in order to have a clear reading of the air pressure. The side wheel allows a fast and easy adjustment.

- Connection: thread 1/4 "
- Pressure Range: from 0 to 17 bar
- Accuracy: $\pm 2\%$
- Working temperature: 0 to 45 ° C
- Battery: 3V DC
- Battery life: 1500 hours (continuous)
- Size: 44 x 30 x 36 mm
- Weight: 110 g

Code
440.0010



SUPPORTS FOR SPRAY GUNS

Suitable to put away the gravity spray guns after use or during the filling of the cup. Available in 2 versions: with base for use on work bench or the version fixable to the wall.

Code	Description
138.5150	With base
138.5151	To fix to the wall

ELECTRONIC POLISHING MACHINE - MAKITA

Sander-polisher with adjustable speed electronically from 600 to 3000 rev/minute. Soft start. Power: 1200 W. Voltage: 220 V. Thread: M14. Pad for tampon or wool bonnet-disc: Ø 180 mm max. Light and easy to handle, it's sold with its sanding pad Ø 150 mm.



Code
785.5509

ELECTRONIC POLISHING MACHINE - RIWAX

Powerful polishing machine of 1300 W with electronic speed controller from 800 to 2400 rev/minute. Voltage: 220 V. Thread: M14. With accessories and spare parts in practice case.



Code
785.5511

PAD WASHER

Washing machine for polishing pads and wool bonnet-discs. With the rotation of polishing machine, pads and wool bonnet-discs are perfectly clean and come back new. Slightly moist, they are ready to be used many times and get a perfect polishing. Also useful to reduce the overheating by orbital polishing machine.



Code
785.5573

WASHER

Manual washing machine for microfibre cloths used for cleaning and polishing of surfaces. Compact, practical and economical. With two rubber rollers to squeeze the microfibre cloths. It made of strong plastic and has a handle for carrying.



Code	Size
785.5515	220 x 320 x h. 290 mm



FILL-ONE PNEUMATIC

Pneumatic filling machine to be connected to the compressor. It requires a pressure of 7-9 bar/100-130 psi. Completely automatic and secure, it's activated by closing the door. With aluminium can for the cap of spray can. Very compact: only Ø 135 mm and height 385 mm. Can be fixed on the work-bench or on the metal base 406.0041. Fixed to the wall with the support 406.0042 is the ideal solution in order to save space.

Code

406.0040



FILL-ONE MANUAL

Manual filling machine to fill the pre-charged spray cans with special cap FillCap. It has the same benefit of pneumatic version but it works without air compressed. Practical, simple, economic, transportable, usable in any place. Suitable for those who do not have the compressor and does not have a high request of spray cans in special colors.

Code

406.0038



PNEUMATIC FILLING MACHINE

Necessary machine to fill the spray cans with traditional cap. Pneumatic automatic version to be connected to the compressor.

Code

406.0053



MANUAL FILLING MACHINE

Necessary machine to fill the spray cans with traditional cap. Manual hydraulic version. It does not require the compressor.

Code

406.0050

NOISELESS DRY COMPRESSOR

Noiseless dry compressor is the ideal for Fill-One machine. Powerful and without maintenance is designed specially for all environments where it is not possible put a noisy compressor. It's compact and takes up little space thanks to its vertical structure.

Tank: 24 liters

Engine Power: 1.5 HP / 1.1 kW

Maximum pressure: 10 bar

Voltage: 230V

Air: 138 L / min at 5 bar



Code
406.0048

NOISELESS OIL COMPRESSOR

Noiseless oil compressor - only 40 dB (A) - designed for Fill-One filling machine when it's located inside the store. It's compact and takes up little space.

Tank: 24 liters

Engine Power: 0.5 HP / 0,35 kW

Maximum pressure: 8 bar

Voltage: 230V

Air: 37 L / min



Code
406.0047

WORK BENCH SUPPORT

Painted strong metal base to support the Fill-One machine. With rubber feet and screw of 20 mm. Size: 300x400 mm.

**WALL SUPPORT**

Painted strong metal bracket to fix the Fill-One machine to the wall. With screw of 20 mm. Size: 145x170x200 mm.



Code	Description
406.0041	Metal base
406.0042	Metal bracket

PRESSURE GAUGE

With support and quick connection for tube of compressed air. Apply near the Fill-One pneumatic machine in a good position in order to have under control the pressure of 8 bar for its correct and safe work.



Code
406.0043

Mr. Komodo™

EUROPEAN PATENT AND REGISTERED COMMUNITY DESIGNS

N° patent EP 10006485.6-2425/2266441


WORKING ON YOUR KNEES IS NO LONGER A TOUGH WORK!

Mr. Komodo™ is the ideal solution for those who often work on their knees. Thanks to its innovative features Mr. Komodo™ will let you hold the most comfortable and correct position even for a long working time and it will help to prevent tiredness to your legs and back. Mr. Komodo™ will definitely improve your position and also your health.

Benefits of Mr. Komodo™

- Its unique shape allows to kneel very easy and to get up leveraging only on the legs, without straining the lower back for an advantage of the back.
- The seat and the pillows for knees are made of soft polyurethane foam covered with durable washable leather-like.
- The seat is adjustable in height, depth and inclination in order to adapt perfectly to every requirement. The tilting seat follows all movements supporting the back in every position.
- The three wheels guarantee a perfect adhesion on any type of floor even if not planar. Their position has been studied specifically to eliminate the risk of tipping.
- The version with the swivel front wheels guarantees the maximum agility during the shifts in every direction.
- The version with the fixed front wheels, wide and strong, guarantees stability and smoothness also on irregular surfaces and grids.
- It is easy to carry thanks to the comfortable handle and a content weight.
- The frame is made of steel 20/10, painted with powder also for outdoor use.
- Mr. Komodo™ has a space between the knees to hold working tools.

COMPLETELY DESIGNED
AND MADE IN ITALY



490.0105

Version with swivel front wheels.



490.0100

Version with fixed front wheels.



PAGE 86-113

PERSONAL PROTECTION

BACK TO
INDEX



DUST	Particles of variable size, generated by crushing of solid materials.
MIST	Particles of evaporated or mechanically nebulized liquids.
FUMES	Disrupted particles of solids by heating or combustion, with dimensions less than 4 microns.

LEVEL OF PROTECTION	
Class	Maximum concentration
FFP1	Up to 4 x TLV
FFP2	Up to 10 x TLV
FFP3	Up to 30 x TLV

TLV = weighted average concentration of a substance to which the operator may be exposed without adverse effects for the health.



SISTAR F1

FFP1 NR D EN149:2001 + A1:2009.
Protection against solid and liquid harmful particles up to 4xTLV. Suitable for processing of ferrous metals, untreated wood, for the building, for the protection from aerosols without toxic substances.

Code	Pack
501.2050	20



SISTAR F1V

FFP1 NR D EN149:2001 + A1:2009, with exhalation valve.
Protection against solid and liquid harmful particles up to 4xTLV. Suitable for processing of ferrous metals, untreated wood, for the building, for the protection from aerosols without toxic substances.

Code	Pack
501.2051	15

SISTAR F2V

FFP2 NR D EN149:2001 + A1:2009, with exhalation valve.
Protection against solid and liquid toxic particles up to 10xTLV.
Suitable for sanding in car-body shop and nautic market, for welding, for the protection from toxic dust and aerosols.



Code	Pack
501.2053	15

SISTAR F2CV - ACTIVATED CARBON

FFP2 OV NR D EN149:2001 + A1:2009, with exhalation valve and activated carbon. Protection against solid and liquid toxic particles up to 10xTLV. Suitable for sanding in car-body shop and nautic market, for welding, for painting and use of solvents with no dangerous fumes (less than TLV), for the protection from toxic dust and aerosols.



Code	Pack
501.2054	10

SISTAR F3V

FFP3 NR D EN149:2001 + A1:2009, with exhalation valve.
Protection against solid and liquid highly toxic particles up to 30xTLV. Suitable for dust and aerosols with high-toxicity such as chromium, nickel, lead, some pesticides and chemical liquid substances. Suitable for removal of amiantus.



Code	Pack
501.2055	10



JACKSON SAFETY FFP1

FFP1 NR EN149:2001+A1:2009.

Protection against solid and liquid harmful particles up to 4xTLV. Suitable for the processing of ferrous metals, untreated wood, for the building, for the protection from aerosols without toxic substances.

Code	Plus	Pack
501.64250	-	20
501.64260	Double valve	10



JACKSON SAFETY FFP2

FFP2 NR EN149:2001+A1:2009.

Protection against solid and liquid toxic particles up to 10xTLV. Suitable for sanding in car-body shop and nautic market, for the welding, for the protection from toxic dust and aerosols.

Code	Plus	Pack
501.64540	-	20
501.64550	Double valve	10

JACKSON SAFETY FFP2 - ACTIVATED CARBON

FFP2 OV NR EN149:2001 + A1:2009, with activated carbon.

Protection against solid and liquid toxic particles up to 10xTLV. Suitable for sanding in car-body shop and nautic market, for the welding, for painting and use of solvents with no dangerous fumes (less than TLV), for the protection from toxic dust and aerosols.



Code	Plus	Pack
501.64560	Double valve	10

JACKSON SAFETY FFP3

FFP3 NR D EN149:2001 + A1:2009. Protection against solid and liquid highly toxic particles up to 30xTLV.

Suitable for dust and aerosols of high-toxicity such as chromium, nickel, lead, some pesticides and chemical liquid substances. Suitable for removal of amiantus.



Code	Plus	Pack
501.64590	Double valve	10

JACKSON SAFETY FFP1

FFP1 RD EN149:2001 + A1:2009.

Folded, singularly packed.

Protection against solid and liquid harmful particles up to 4xTLV. Suitable for the processing of ferrous metals, untreated wood, for the building, for the protection from aerosols without toxic substances.



Code	Plus	Pack
502.62920	-	20

JACKSON SAFETY FFP2

FFP2 RD EN149:2001 + A1:2009.

Folded, singularly packed.

Protection against solid and liquid toxic particles up to 10xTLV. Suitable for sanding in car-body shop and nautic market, for the welding, for the protection from toxic dust and aerosols.



Code	Plus	Pack
502.62960	Valve	15

JACKSON SAFETY FFP2 - ACTIVATED CARBON

FFP2 OV NR EN149:2001 + A1:2009, with activated carbon.

Folded, singularly packed.

Protection against solid and liquid toxic particles up to 10xTLV. Suitable for sanding in car-body shop and nautic market, for the welding, for painting and use of solvents with no dangerous fumes (less than TLV), for the protection from toxic dust and aerosols.



Code	Plus	Pack
502.62970	Valve	15



ELIPSE

UNI EN405 - A1P3. **Without maintenance.**

Protection against organic gases and vapors up to 10xTLV. Protection against solid and liquid highly toxic particles up to 30xTLV. Suitable for painting in all applications (spray gun, powder), for exposure to fumes of solvents and most of the hydrocarbons, for dusts and aerosol with high toxicity such as chromium, nickel, lead, some pesticides and chemical liquid substances.

Code	Size	Pack
503.0359.M	Medium	6 pcs
503.0359.L	Large	6 pcs



FREEDOM™

UNI EN405. **Without maintenance.**

Protection against gases and vapors up to 10xTLV. Protection against solid and liquid particles from 4 to 30xTLV. Suitable for painting and all other applications, depending on the model and supplied filters.

Code	Description
503.0518	A1
503.0519	A1P1
503.0534	A1+ Prefilter C10
506.0515	Prefilter P1
506.0516	Prefilter P2
506.5150	Prefilter C10 for overspray
506.0533	Prefilter block
Other categories of protection on request	



AIRVISOR 2 - KIT FOR PAINTING

EN14594:2005 - EN166.2.F - EN166.2.B.9.

Respirator powered by compressed air. The device includes a helmet with acetate shield, a filter for belt made of activated carbon with flow control and acoustic alarm for low pressure. Use in presence of gas, vapors, mists, dusts and fumes up to 1000xTLV - FPN: 200. Working pressure: 7 bar. Nominal air flow: 260 l/ min.

Code	Description	Pack
507.0021	Airvisor 2 - Kit	1
507.1507	Protective films	10
507.0071	Kit visor - spare part	1
507.1404	Filter with activated carbon - spare part	1
507.1408	Tyvek cover neck - spare part	5
507.1504	Acetate shield - spare part	1
Other spare parts on request		

VALUAIR PLUS

UNI EN140

For interchangeable bayonet filters.

Half mask made of soft synthetic rubber, silicone-free.

Adjustable harness with four points and belt. Suitable for painting and all other applications, depending on supplied filters.

Code	Size
504.0501.M	Medium
504.0501.L	Large



OPTIFIT TWIN L

UNI EN136

For interchangeable bayonet filters.

Full-face mask made of silicone rubber, with panoramic polycarbonate screen anti-scratch and anti-fog. Adjustable harness with five points. Suitable for painting and all other applications, depending on supplied filters.

Code	Pack
505.5251.L	1 mask
505.0174	25 protective films



BAYONET FILTERS

UNI EN14387 - UNI EN143

For Valuair Plus and Optifit Twin

With bayonet connection of Honeywell Protection.

Code	Protection	Pack
506.0548	A1	10 filters
506.0504	A2	10 filters
506.0509	P3	10 filters
506.0510	A2P3	6 filters
506.0515	Pre-filter P1	6 filters
506.0516	Pre-filter P2	20 pre-filters
506.5150	Pre-filter C10 for overspray	20 pre-filters
506.0517	Pre-filter block	2
Other categories of protection on request		





OVERFITTING GLASSES

EN 166 1F - **Overfitting on comparable eyeglasses.**
Anti-scratch panoramic glasses made of polycarbonate.
Protects against direct projection of particles and chippings.

Code
511.1050



HONEYWELL SANTACRUZ

EN 166 1F
Panoramic glasses made of polycarbonate with colorless and anti-scratch lens. Adjustable dipstick. Protects against direct projection of particles and chippings.

Code
511.1001



HONEYWELL MILLENNIA

EN 166 1F
Sporting glasses made of polycarbonate with colorless and anti-scratch lens. With strings to support the neck. Protects against direct projection of particles and chippings.

Code
511.1031



JACKSON V30 NEMESIS

EN 166 1F
Sporting glasses made of polycarbonate with colorless and anti-scratch lens. Dipsticks with soft and ergonomic tip. With strings to support the neck. Protects against direct projection of particles and chippings.

Code
511.25679

JACKSON V50 CALICO

EN 166 1F

Elastic band and interchangeable dipsticks.

Glasses with two lenses made of polycarbonate, anti-scratch and colorless. Soft rubber sheath inside of the frame.

High protection from the direct projection of particles and chippings.



Code
511.25672

HONEYWELL V-MAXX**Compatible with use of masks.**

Glasses with colorless lens made of polycarbonate, anti-scratch for mechanical protection or with colorless lens made of acetate, solvents resistant. High protection from the projection of particles, chippings, dripping and splashing of chemical substances.



Code	Description
512.5033	Polycarbonate
512.5034	Acetate
512.5038	Protective films in pack of 10 pcs

HONEYWELL BIONIC

EN 166 1F (1B art. 513.5048)

Ergonomic visor with colorless screen made of polycarbonate, anti-scratch for mechanical protection or with colorless screen made of acetate, solvents resistant. High protection from the projection of particles, chippings, dripping and splashing of chemical substances.



Code	Description
513.5048	Bionic polycarbonate
513.5050	Bionic acetate
513.5049	Polycarbonate spare part
513.5051	Acetate spare part
513.5052	Protective films in pack of 10 pcs

EAR PLUGS

EN352/2 – SNR 33 dB

Disposable earplugs made of soft polyurethane foam.



Code	Pack
521.67210	Bags of 1 pair

HONEYWELL PERCAP

EN352/2 – SNR 24 dB

Foldable headband with earplugs made of soft polyurethane foam.



Code	Description	Pack
522.5720	Complete headband	1
522.5730	Tampons - spare part	10 pairs

HONEYWELL LEIGHTNING L1

EN352/1 – SNR 30 dB

Light and comfortable earmuffs with padded support. Adjustable cups.



Code
523.2422

PROTECTION BLUE™

EN455, EN388, EN374 / 2, EN374 / 3, PPE Cat.III.
Disposable gloves made of blue latex, very thick, powder free.
Excellent mechanical resistance. Micro-ruvid finish to increase the grip.



Code	Pack	Size
551.2970	50 gloves	M, L, XL

BLACK PLUS™

EN475 - (AQL<1.5) - PPE Cat. I
EN455 1-2-3
Disposable gloves made of black latex, medium thickness,
powder free. Excellent mechanical resistance, suitable for
contact with thinners. Micro-ruvid finish to increase the grip.



Code	Pack	Size
551.2755	100 gloves	M, L, XL

STARGLOVES GREEN

EN455, PPE Cat.I.
Disposable gloves made of green latex, finely powdered.
Extremely soft and comfortable. Micro-ruvid finish to increase the grip.



Code	Pack	Size
551.2965	100 gloves	M, L, XL

STRARGLOVES WHITE

EN455, EN388, EN374/2, EN374/3, PPE Cat.III.
Disposable gloves made of white latex, finely powdered.
Extremely soft and comfortable. Micro-ruvid finish to increase the grip.



Code	Pack	Size
551.2960	100 gloves	M, L, XL



NITRIL TOP

EN455, PPE Cat.I.

Disposable gloves made of light-blue nitrile, powder and latex free. Good mechanical resistance, suitable for contact with thinners and chemical substances. Micro-ruvid finish to increase the grip.

Code	Pack	Size
553.2751	100 gloves	M, L, XL

STARLIGHT 100

EN388 (3121), DPI Cat.II.

Light glove made of nylon mesh, coated with polyurethane, black colour. High dexterity. Suitable for maintenance work, also for precision works. Singularly packed in blister. Excellent mix between quality and price.



Code	Pack	Size
556.0100	1 pair in blister	M, L, XL

STARWORK 150

EN388 (3121), DPI Cat.II.

Light glove made of nylon mesh, coated with nitrile, gray/white colour. Good abrasion resistance and dexterity. Suitable for maintenance work also heavy. Suitable for contact with wet surfaces with oil or solvents. Singularly packed in blister. Excellent mix between quality and price.



Code	Pack	Size
556.0150	1 pair in blister	M, L, XL

MAPA ULTRANE 548

EN388 (3121), PPE Cat.II.

Light glove made of knitted nylon, coated with polyurethane, black color. High skill. Suitable for maintenance and precision works.



Code	Pack	Size
556.0548	12 gloves single pack	8, 9, 10

MAPA ULTRANE 551

EN388 (4121), PPE Cat.II.

Light glove made of knitted nylon, coated with polyurethane, grey color. Excellent resistance to abrasion, high skill. Suitable for maintenance and accuracy works



Code	Pack	Size
556.0551	10 gloves	8, 9, 10

MAPA ULTRANE 553

EN388 (4121), PPE Cat.II.

Light glove made of knitted nylon, coated with nitrile, grey/black color. Excellent resistance to abrasion, good skill. Suitable for heavy maintenance work, indicated for the contact with surfaces impregnated with oil or solvents.



Code	Pack	Size
556.0553	10 gloves	8, 9, 10

MAPA KRYTECH 579

EN388 (4343), PPE Cat.II.

Light glove anti-cut. Made of knitted polyethylene with high density, coated with polyurethane foam, white/grey color. Suitable for handling of metal sheets, crystals and objects that cause cuts. Excellent grip.



Code	Pack	Size
556.0579	10 gloves	8, 9, 10

**MAPA VITAL 124**

EN388 (1010), EN374/2, EN374/3, PPE Cat.III.
Light waterproof glove made of yellow latex, unsupported, interior flocked cotton, micro-ruvid handbreadth. Suitable for cleaning and light handling. Thickness: 0.40 mm. Length: 32 cm.

Code	Pack	Size
555.0124	10 gloves	7, 8, 9, 10

**MAPA ALTO 258**

EN388 (2120), EN374/2, EN374/3, PPE Cat.III.
Light waterproof glove with medium thickness made of yellow latex, not supported, interior flocked cotton, micro-ruvid handbreadth. Suitable for cleaning and maintenance works. Thickness: 0.60 mm. Length: 32 cm.

Code	Pack	Size
555.0258	10 gloves	8, 9, 10

**MAPA INDUSTRIAL 299**

EN388 (3131), EN374/2, EN374/3, PPE Cat.III.
Light waterproof glove with high thickness made of orange latex, not supported, interior flocked cotton, micro-ruvid handbreadth. Suitable for light mechanical works, also with chemical products. Thickness: 0.90 mm. Length: 31 cm.

Code	Pack	Size
555.0299	10 gloves	8, 9, 10

**MAPA JERSETTE 301**

EN388 (3141), EN374/2, EN374/3, PPE Cat.III.
Waterproof glove with extra thickness made of light-blue latex, with cotton support and micro-ruvid surface. Suitable for mechanical works with chemical products, temperature resistant up to 100°C. Thickness: 1.15 mm. Length: 31 cm.

Code	Pack	Size
555.0301	10 gloves	8, 9

MAPA TECHNI-MIX 415

EN388 (2121), EN374/2, EN374/3, PPE Cat.III.

Light glove made of latex and neoprene, black color, not supported, internal flocked cotton, micro-ruvid handbreadth. Protection from chemical products, suitable for light handling works. Thickness: 0.60 mm. Length: 32 cm.



Code	Pack	Size
555.0415	10 gloves	8, 9, 10

MAPA DUO-MIX 405

EN388 (3131), EN374/2, EN374/3, PPE Cat.III.

Glove made of latex and neoprene, yellow/blue color, not supported, interior flocked cotton, micro-ruvid handbreadth. Protection from chemical products, suitable for light handling works. Thickness: 0.70 mm. Length: 33 cm.



Code	Pack	Size
555.0405	10 gloves	8, 9, 10

MAPA TECHNIC 401

EN388 (3111), EN374/2, EN374/3, PPE Cat.III.

Light glove with finishing made of neoprene, black color, not supported, interior flocked cotton, micro-ruvid handbreadth. Excellent protection from chemical products, suitable for light handling works. Thickness: 0.55 mm. Length: 31 cm.



Code	Pack	Size
555.0401	10 gloves	8, 9, 10

MAPA ULTRANITRIL PLUS 492

EN388 (4101), EN374/2, EN374/3, PPE Cat.III.

Light glove made of nitrile, aquamarine color, internal flocked cotton, micro-ruvid handbreadth. Particularly suitable for the contact with solvents and paints. Excellent resistance to abrasion, high skill. Thickness: 0.38 mm. Length: 32 cm.



Code	Pack	Size
555.0492	10 gloves	8, 9, 10

TREK S1P - SISTAR

Low shoes, ultra light, soft suede, completely lined and padded in the points of greater friction.
Ergonomic insole, outsole made of bi-density polyurethane.
Anti-perforation midsole made of aramid fiber, steel toe.
Certification: UNI EN 20345 S1P.

Code	Size
541.4046	40/44 - Other sizes on request

TREK H S1P - SISTAR

High shoes, ultra light, soft suede, completely lined and padded in the points of greater friction.
Ergonomic insole, outsole made of bi-density polyurethane.
Anti-perforation midsole made of aramid fiber, steel toe.
Certification: UNI EN 20345 S1P.

Code	Size
541.4056	40/44 - Other sizes on request

CARBON S3 - SISTAR

Low shoes, ultra light, made of transpirant microfiber, water-repellent, resistant to chemical substances, completely lined and padded in the point of greater friction. Ergonomic insole, outsole made of bi-density polyurethane. Anti-perforation midsole made of aramid fiber, composite toe.
Certification: UNI EN 20345 S3

Code	Size
541.4162	40/44 - Other sizes on request

CARBON H S3 - SISTAR

High shoes, ultra light, made of transpirant microfiber, water-repellent, resistant to chemical substances, completely lined and padded in the point of greater friction. Ergonomic insole, outsole made of bi-density polyurethane. Anti-perforation midsole made of aramid fiber, composite toe.
Certification: UNI EN 20345 S3

Code	Size
541.4172	40/44 - Other sizes on request

AERO S1P - SISTAR

Low summer shoes, ultra light, made of soft perforated suede, completely lined and padded in the points of greater friction. Ergonomic insole, outsole made of bi-density polyurethane. Anti-perforation midsole made of steel, steel toe. Certification: UNI EN 20345 S1P.



Code	Size
541.4060	40/44 - Other sizes on request

BLACK S3 - SISTAR

Low shoes, ultra light, made of waterproof grain leather, completely lined and padded in the points of greater friction. Ergonomic insole, outsole made of bi-density polyurethane. Anti-perforation midsole made of steel, steel toe. Certification: UNI EN 20345 S3.



Code	Size
541.4072	40/44 - Other sizes on request

BLACK H S3 - SISTAR

High shoes, ultra light, made of waterproof grain leather, completely lined and padded in the points of greater friction. Ergonomic insole, outsole made of bi-density polyurethane. Anti-perforation midsole made of steel, steel toe. Certification: UNI EN 20345 S3.



Code	Size
541.4070	40/44 - Other sizes on request



The collection of Sparco Teamwork shoes is born from the idea of offering to the end-user a product with racing, light, comfortable and safe design. The new collection Sparco Teamwork is designed thanks to experience of Sparco about the search of maximum protection of the professional driver's foot. Shoes of high quality, made in the complete respect of the law.

The uppers are made with smooth grain leather, suede and nubuck. The use of natural leathers guarantees an high transpiration, optimum temperature and internal ventilation.

The soles are designed to have an high anti-slip coefficient. The unique design of tread, developed thanks to the result of specific researchs, has allowed to obtain some performances exceeding of 30% than required by the rules.

SPARCO SPORT L OCCUPATIONAL



The shoes occupational are professional shoes, ultra-light, **without antisquashing toe**, certified for all works without the risk of fall from the top of blunt objects and where isn't the risk of handling of loads.

Low shoes made of suede, comfortable and light, suitable for all uses.

- Anti-perforation midsole made of aramid fiber
- Composite toe: **not this**
- Certification: UNI EN 20345 O1.

Code	Size	Color
540.7510BL	39/46	Blue

SPARCO SPORT L



Low shoes made of suede, comfortable and light, suitable for all uses.

- Anti-perforation midsole made of aramid fiber
- Composite toe
- Certification: UNI EN 20345 S1P



Code	Size	Color
540.7501RS	39/46	Red
540.7501NR	39/46	Black

SPARCO SPORT L - S3

Low shoes with uppers made of grain leather.
Extremely comfortable and durable.

- Anti-perforation midsole made of aramid fiber
- Composite toe
- Certification: UNI EN 20345 S3



Code	Size	Color
540.7506NR	39/46	Black

SPARCO SPORT H

High shoes with uppers made of grain leather.
Extremely comfortable and durable.

- Anti-perforation midsole made of aramid fiber
- Composite toe
- Certification: UNI EN 20345 S3



Code	Size	Color
540.7503NR	39/46	Black

SPARCO RACING H

Racing shoes, made of suede or nubuck. Reflective inserts for added security. Velcro strap for wrap the ankle.

- Anti-perforation midsole made of aramid fiber
- Composite toe
- Certification: UNI EN 20345 S3



Code	Size	Color
540.7502NR	39/46	Black
540.7502OC	39/46	Ocher
540.7502AZ	39/46	Blue

CURTISS S1

Low shoes made of perforated suede, lined with transpirant WingTex fabric. Ergonomic insole, outsole made of bi-density polyurethane. Composite toe. Certification: UNI EN 20345 S1.



Code	Size
541.0155	40/44 - Other sizes on request

FEELING S1P - JOGGER S1P

High shoes, made of suede with inserts in Cordura, lined with transpirant WingTex fabric. Ergonomic insole, outsole made of bi-density polyurethane. Anti-perforation midsole made of steel, composite toe. Certification: UNI EN 20345 S1P.



Code	Model	Size
541.0211	Feeling S1P	40/44 - Other sizes on request
541.0212	Jogger S1P	40/44 - Other sizes on request

SOYUZ S1P

Open shoes made of perforated suede, lined with transpirant WingTex fabric, velcro connection. Ergonomic insole, outsole made of bi-density polyurethane. Anti-perforation midsole made of steel, composite toe. Certification: UNI EN 20345 S1P.



Code	Size
541.0235	40/44 - Other sizes on request

REFLEX S1P

Low shoes, made of perforated suede, lined with transpirant WingTex fabric. Ergonomic insole, outsole made of bi-density polyurethane. Anti-perforation midsole made of aramid fiber, composite toe. Certification: UNI EN 20345 S1P.




Code	Size
541.0215	40/44 - Other sizes on request

TECNO-YARN™ Antistatic


Antistatic and transpirant overall. Made of Polyester Nega-Stat ® Antistatic washable fiber fabric. It does not release fibers. Hood with elastic and velcro connection. Double slider protected zip. Elastic around cuffs and waist. Overshoes with elastic under-sole. Ventilated back. Little pocket, two front pockets and one back pocket. Color: white with orange and blue inserts. PPE Cat. I.

Code	Size
610.1120	M(46-48), L(50-52), XL(54-56), XXL(58-60)

**SPRAY-TECH™**

Overall made of 100% polyester, extremely comfortable and transpirant, does not release fibers and it is washable many times. Hood with elastic and velcro connection. Double slider protected zip. Elastic around wrists, ankles and hips. Little pocket and back pocket with velcro connection. PPE Cat. I.

Code	Size	Color
610.1110	M(46-48), L(50-52), XL(54-56), XXL(58-60)	Blue
610.1111	M(46-48), L(50-52), XL(54-56), XXL(58-60)	White



**COAT TECH**

Coat made of 100% polyester transpirant and comfortable fabric, washable, with protective cap, little pocket and two pockets, connection with automatic buttons also on wrist. Suitable for polisher-man, for the decorator, painter and for work-bench man, for the warehouse and for all operators that require a fresh and practical cloth in order to protect themselves from dirt. PPE Cat. I.

Code	Size	Color
610.1105	M(46-48), L(50-52), XL(54-56), XXL(58-60)	White

**MICRO-SHIELD™**

Overall with hood. Highly transpirant, it is ideal for use in very hot areas. Color: White. PPE Cat. III, Type 5-6.

Code	Size
601.0105	M, L, XL, XXL

**POLIGARD® PLP**

Overall made of polypropylene with hood. Very light and transpirant. Elastic around wrists, ankles and hips. Protected zip with flap, back pocket. Color: White. For generic use in non-hazardous areas. PPE Cat. I.

Code	Size
607.0100	M, L, XL, XXL

BODY-GUARD™

Overall with hood to protect the worker from hazardous substances. Ideal for painting in car-body shop. Silicone-free, does not release fibers, high resistance to strain. Internal seams, elastic around wrists, ankles and waist. Adhesive pocket to be apply in the point more comfortable for the user. Color: White. PPE Cat. III, Type 5-6, Antistatic.



Code	Size
603.0200	M, L, XL, XXL

BODY-GUARD PLUS™

Overall with hood and completely transpirant back. Particularly comfortable, it is ideal for painting in car-body shop during hot season. Silicone-free, does not release fiber. Internal seams, elastic around wrists, ankles and waist. Adhesive pocket to be apply in the point more comfortable for the user. Color: White. PPE Cat. III, Type 5-6, Antistatic.



Code	Size
603.0210	M, L, XL, XXL



TYVEK® DuPont™

Sewn overall, Classic original DuPont model, with hood. Used to protect the worker from dangerous substances. Silicone-free, minimum release of fiber, extremely light. Elastic around wrists, ankles and waist. Color: White. PPE Cat. III, Type 5-6, Antistatic.


Code	Size
603.0300	M, L, XL, XXL



TYVEK® CLOTHES DuPont™

Working clothes for general use, made of Tyvek 100% polyethylene. Color: White. For the partial protection of body in areas with light risk. PPE Cat. I.

Code	Description	Size
603.0310	① Jacket with hood. Elastic around wrists and waist	L, XL, XXL
603.0320	② Pants with elastic around waist	L, XL, XXL
603.0330	③ Coat with velcro connection, 3 pockets	L, XL, XXL



TYVEK® ACCESSORIES DuPont™

Working accessories for general use, made of Tyvek 100% polyethylene. Color: White. For the partial protection of body in areas with light risk. PPE Cat. I.

Code	Description
603.0341	① Hood with round elastic around face and nape
603.0350	② Shoe-cover with elastic around ankle
603.0351	③ Half sleeve with elastic on the two ends, 48 cm

VERNICLEANER™

Vigorous hands cleaning gel for painters. With natural extracts of citrus. Studied specifically for cleaning of hands by painting products, both solvent-based and water-based. It also eliminates persistent odors.

Code	Description
571.8002	Tank of 1 L with dispenser
571.8003	Tank of 3 L with dispenser
576.8016	Wall support for tank of 3 L

**MEC CLEANER™**

Vigorous hands cleaning gel for mechanic. With natural extracts of citrus. Ideal for cleaning of hands by industrial dirt. It also eliminates persistent odors.

Code	Description
571.8021	Tank of 5 L with dispenser

**BIANCANEVE**

Hands cleaning cream, white and fluid with spherical microgranules that does not abrade the skin. Great to eliminate the industrial dirt. Contains surfactants of natural origin from renewable sources. It does not contain sand or irritant and aggressive substances.

Code	Description
573.8060	Tank of 3 L with dispenser
576.8016	Wall support for tank of 3 L





STARSOAP™ WHITE

Natural hands cleaning paste, white color, to remove industrial dirt. Contains lanolin for care and protection of skin. It does not contain sand or irritant and aggressive substances.

Code	Description
573.8071	Bucket of 5 L (5 Kg ca.)



HAND CLEANER

Hands cleaning paste, beige color, to remove the industrial dirt. With lanolin for protection of skin. It does not contain sand or irritant and aggressive substances.

Code	Description
573.8080	Pack of 1 L
573.8081	Pack of 3 L



HAND-CLEAN

Hands cleaning cream, rapid action, deep and delicate. Ideal for cleaning of very dirty hands. Removes grease, oil, wax, bitumen, tar, inks, paints, adhesives, etc. Dermatologist tested, pleasant fragrance, contains specific substances for protection and care of skin, also in case of frequent use.

Code	Description
784.2977	Pack of 4 Kg
576.8010	Dispenser



WYPALL

Wet cloth for cleaning and protection in a portable pack, with a rough side to remove dirt and a smooth side for cleaning and polishing. Ideal for cleaning hands, tools and machines without soap, gel or water; this product protects your hands, reduces skin dryness and improves sanitation.

Code	Pack	Cloth size
152.7772	50 pcs	27x27 cm

FOULSTOP™

Dirt repellent action cream, oil-insoluble. Increases the natural protection of skin from aggressive action of oils, grease, hydrocarbons, etc. Prevents the adhesion of dirt to the skin and cleans easy with just water, without need to use soaps or detergents. The skin can breathe and it's possible use it on the arms, legs, face.



Code	Description
574.5101	Can of 500 ml = about 300 applications

OLEO-PROTECTOR

Oily protective barrier cream. To increase the natural protection of skin from aggression of chemical agents as mineral and vegetable oils, grease of various nature, hydrocarbons and their derivatives, harmful substances. The skin can breathe.



Code	Description
574.5010	Tube of 100 ml

SMOOTH PAPER TOWEL

Paper roll made of not recycled pure cellulose. Extra quality, double layer. Does not contain optical brighteners.



Code	Description	Color
575.8900	Roll of 800 sheets 26x38 cm - 3,5 kg about	White

EMBOSSED PAPER TOWEL

Paper roll made of not recycled pure cellulose, double layer, extra quality. Embossed structure with honeycomb for better absorbency. Does not contain optical brighteners.



Code	Description	Color
575.8902	Roll of 800 sheets - 2,0 Kg about	White

**GROUND DISPENSER**

Ground support. Suitable for rolls ø max. 60 cm, width max. 36 cm. Made of metal, white color.

Code
576.8920

**WALL DISPENSER**

Support for fixing to wall or work-bench. Suitable for rolls ø max. 60 cm, width max. 30 cm. Made of metal, white color.

Code
576.8921

**TROLLEY**

Big and strong trolley Kimberly-Clark for paper or non-woven rolls, with rubbish bag.

Code	Size
576.6155	109x50x50 cm



WOULD YOU LIKE TO BE OUR PARTNER?

If you want to be a member of a modern and young trading organization, leader in Italy in the Car Refinish field and introduced in more than 20 foreign countries, contact our Sales Export Department at the following numbers:

Phone: (+39) 0362-36.73.50 - **Fax:** (+39) 0362-36.73.52 - **Or send your request to:** export@sistar.it



EST-CE-QUE TU VEUX DEVENIR NOTRE PARTENAIRE?

Si tu veux faire partie d'une jeune et moderne organisation commerciale, leader en Italie du marché du Car Refinish et présente dans plus de 20 pays dans le monde entier contactez s'il vous plaît:

Phone: (+39) 0362-36.73.50 - **Fax:** (+39) 0362-36.73.52 - **Ou bien adressez une requête à:** export@sistar.it



SIND SIE INTERESSIERT UNSER PARTNER ZU WERDEN?

Wenn Sie Teile unserer jungen und modernen Handelsorganisation - dem Leader in Italien in Sachen Autoaufbereitung - mit Partnern in 20 verschiedenen Ländern, so kontaktieren Sie unsere Verkaufs-, beziehungsweise Exportabteilung:

Telefon: (+39) 0362-36.73.50 - **Fax:** (+39) 0362-36.73.52 - **Oder mailen Sie Ihre Anfragen an:** export@sistar.it



USTED QUIERE ESTAR CON NOSOTROS?

Si deseas formar parte de una moderna y joven empresa comercial, que es líder en Italia en el sector del Car Refinish y que es presente en más de 20 países del mundo, ponete en contacto con nuestro Sales Export Department por medio de los numeros que siguen:

Teléfono: (+39) 0362-36.73.50 - **Fax:** (+39) 0362-36.73.52 - **O envias tu petición a:** export@sistar.it



ХОТИТЕ СТАТЬ НАШИМ ПАРТНЕРОМ?

Если вы хотите быть партнером молодой, современной торговой компании-лидера на итальянском рынке материалов для кузовного ремонта и представленной более чем в 20 странах, свяжитесь с нашим отделом экспортных продаж по следующим телефонам:

тел: (+39) 0362-36.73.50 - **факс:** (+39) 0362-36.73.52 - **или пошлите запрос по электронной почте:** export@sistar.it



VUOI ESSERE NOSTRO PARTNER?

Se vuoi far parte di una moderna e giovane organizzazione commerciale, leader in Italia nel settore del Car Refinish e presente nel mondo in oltre 20 paesi, contatta il nostro Sales Export Department ai seguenti numeri:

Telefono: (+39) 0362-36.73.50 - **Fax:** (+39) 0362-36.73.52 - **Oppure invia una tua richiesta a:** export@sistar.it

The features and products shown may be subject to change without notice. The informations contained in this catalogue are provided for guide and in good faith. They do not imply our responsibility in consideration of many variables that can affect the proper operation and performance of the products.

Aux caractéristiques et aux produits représentés peuvent être apporté des modifications sans aucun préavis. Les renseignements contenus dans ce catalogue sont fournies à titre d'exemple et en toute bonne foi. Par conséquent, cela n'implique pas notre responsabilité en considération des plusieurs variables qui peuvent influencer le correct emploi et les prestations des produits.

Die Ausführungen in unseren Unterlagen dienen der anwendungstechnischen Unterweisung und sind nach bestem Wissen zusammengestellt. Eine Verbindlichkeit kann hieraus jedoch nicht hergeleitet werden. Produktänderungen vorbehalten.

Los productos que están aquí pueden sufrir algunas modificaciones también sin aviso. Las informaciones que están aquí son provistas como indicación y en buena fe; después ellas no implican nuestra responsabilidad también en consideración de las muchas variables que pueden influir el correcto empleo y las prestaciones de los productos.

Представленные здесь продукты и их характеристики могут быть изменены в любое время без предварительного уведомления. Информация, присутствующая в данном каталоге, является индикативной, и не содержит каких либо гарантий и/или обязательств.

Le caratteristiche e i prodotti presentati possono essere soggetti a modifiche anche senza obbligo di preavviso. Le informazioni contenute in questo catalogo sono fornite a titolo indicativo e in buona fede. Non implicano quindi la nostra responsabilità anche in considerazione delle molteplici variabili che possono influenzare il corretto utilizzo e le prestazioni dei prodotti.

